



Matting Three Part System Anti Static Indoor Welding  
Entrance Matting Welding Mats Commercial Matting  
Anti-Fatigue Grease Proof Three Part System An Run  
ers Static Indoor Entrance Workstations Wet Areas  
nce Matting Commercial Matting Anti-Fatigue Run  
orkstations Commercial and Anti-Fatigue Matting  
et Areas Anti Static Industrial Matting Entran Pro  
Outdoor Matting For All Industries Anti-Fatigue Run  
Entrance Matting Commercial Matting Industrial We  
System Runners Anti-Fatigue Grease Proof Switch  
Matting Three Part System Anti Static Indoor Welding  
Entrance Workstations Wet Areas Safety Matting En  
nce Matting Commercial Matting Anti-Fatigue Saf





# Innovative.Green.Committed.



Welcome to Apache. We are an innovative, environmentally friendly matting company committed to providing superior customer service, unmatched value and exceptional quality.

Apache Mills is on the leading edge of offering green products, like our exclusive Apache Ecomat® line, through the use of sustainable, recycled materials, the latest equipment and modern manufacturing processes.

We are proud to be a family owned business that has successfully grown into an industry leader over the last 40 years. We manufacture and distribute nearly all of our products here in the USA at our 1,000,000 plus square foot facility in Calhoun, Georgia.

We invite you to take a look at our vertically integrated range of high performance and sustainable mats for both commercial and industrial markets. You can be assured that our high quality products are backed with expert, attentive Customer Service committed to meeting your needs on time and at a great value.

That's the Apache difference.



Responsibility is an important aspect of our business. Apache is committed to significantly reducing the amount of waste products that enter our nation's landfills by incorporating recycled materials back into our mats.

Every year, Apache uses approximately 4 million scrap tires in our matting and over 10 million plastic bottles in our carpet surfaces.

The Apache Ecomat® brand contains the highest level of recycled material content. Unlike our competitors, we list the amount of recycled material content by product weight on many of our products with our green percentage logo, also listed in this catalog.



Our Apache Ecomat® line reflects our company's environmental philosophy. To us....Green Matters!

---

## LEED Contribution

The Leadership in Energy and Environmental Design (LEED) Rating System is the standard used by governments, building owners and designers to evaluate how a building will perform within green criteria. Apache is on the leading edge of offering matting products with extremely high levels of post-consumer/industrial recycled material content. In fact, many Apache mats qualify for more LEED credits than our competitors. These are four categories in which Apache is LEED compliant:

- Energy & Atmosphere
- Materials and Resources
- Indoor Environmental Quality
- Innovation and Design Process



For more information regarding LEED credits, contact your Apache sales representative.





**Indoor Entrance**

Montage.....	7
Gatekeeper.....	8
Absorba .....	8
Ecomat Crosshatch .....	9
Ecomat Squares.....	9
Lustre Twist .....	10
Apache Grip.....	10
Prestige .....	11
Plush Tuff.....	11
Standard Tuff.....	12
DuroRib .....	12
Chevron Rib.....	13
Apache Rib.....	13

**3 Part System**

Brush Loop.....	14
Brush & Clean .....	14
Clean Loop .....	14

**In-Style Custom Logo Mats .....15****Outdoor Entrance**

AquaFlow.....	17
Trooper .....	17
SuperGrip .....	18
The Looper .....	18

**Outdoor Entrance**

EcoMat CleanScrape.....	19
EcoMat Mission .....	19

**Industrial Dry Anti-Fatigue**

Supreme SlipTech .....	21
Weldmaster .....	21
Diamond Foot.....	22
Supreme Diamond Foot .....	23
Ultimate Diamond Foot.....	23
Marble Foot .....	24
K-Marble Foot.....	25
Ultimate K-Marble Foot.....	25
K-Marble Foot <b>AMBL</b> .....	25
Invigorator.....	26
ArmorStep .....	26
ErgoFlex .....	27
BubbleFlex.....	27
Soft Foot.....	28
Safety Soft Foot.....	28
Diamond Deluxe Soft Foot .....	29
Supreme Soft Foot .....	29

**Industrial Wet Anti-Fatigue**

WorkStep.....	31
---------------	----

**Industrial Wet Anti-Fatigue**

TruTread .....	32
Safety TruTread.....	33
Performa 100N .....	34
Performa.....	35
Performa SD.....	35

**Industrial Runners**

Diamond Runner .....	37
Tuff Foot Runner.....	37
CounterTred .....	37

**Modular Tiles**

GridStep .....	38-39
----------------	-------

**Anti-Static / Non-Conductive**

ApacheStat Soft Foot .....	41
Conductive Diamond Foot.....	41
Conductive Diamond Runner .....	42
Switchboard Diamond Deckplate.....	42
Switchboard Smooth .....	43
Switchboard Corrugated.....	43

**Specialty Mats & Accessories**

Tacky Mat .....	44
KneeSaver.....	44
Accessories .....	45

**Mat Placement Guide .....46****Chemical Resistance Chart .....47**

# Indoor Entrance



## Environmentally Friendly

In addition to the Apache Ecomat branded products, Apache is proud to offer another industry first – Montage high performance matting. With top of the line components that assure long-lasting performance, Montage is truly unique, using recycled materials in the surface, backing, and edges.

## Reduce Dirt, Reduce Costs

Apache mats minimize maintenance costs. Seventy percent of all dust, dirt and floor-damaging soil found in commercial buildings are tracked inside a building from people's shoes. A well thought-out mat program can reduce maintenance costs by thousands of dollars annually in excessive cleaning costs.

## More Choice

Apache offers a complete line of matting for every application. Whether you are looking for performance, endurance or simply a great value, Apache mats have your needs covered.

Montage  
Gatekeeper  
Absorba  
Squares  
Crosshatch  
Lustre Twist  
Apache Grip  
Prestige  
Plush Tuff  
Standard Tuff  
DuroRib  
Chevron Rib  
Apache Rib







Marine Blue


Steel Gray

Chocolate

Charcoal

## Ultimate Commercial Performance

- Abrasive scraping surface featuring a specially developed needlepunch carpet with extra coarse fibers and surface coating.
- Holds 1.5 gallons of water per square yard, keeping moisture, dirt and dust from entering the building.
- Includes carpet fibers extracted from recycled plastic bottles.
- Unique surface coating provides extra safety traction during wet weather.
- Molded to a rugged recycled rubber base, providing a crush-resistant, durable scraping surface.
- Multi-directional rib pattern and extra deep channels further enhance the scraping action.
- LockTite™ specially engineered edging locks the carpet in from both top and bottom.
- Commercial grade edging made from thermoplastic rubber and reinforced with corner patches for added strength.
- Available in many standard and special order sizes.



### Rolling Carts Welcome!

Wheels and casters roll easily over beveled edges



## Apache Ecomat Montage™

Montage is our top of the line commercial mat made with environmentally-friendly components. Montage offers enhanced long wearing performance and durability.

### Recommended Uses:

Interior or exterior high-traffic areas in hotels, hospitals, schools, office buildings or restaurants.



### Standard Mat Sizes:

Nominal	Actual	Metric
2' x 3'	26" x 38"	65 x 96 cm
3' x 4'	38" x 50"	96 x 126 cm
3' x 5'	38" x 61"	96 x 156 cm
3' x 6'	38" x 74"	96 x 188 cm
3' x 10'	38" x 121"	96 x 307 cm
3' x 12'	38" x 145"	96 x 367 cm
3' x 16'	38" x 192"	96 x 488 cm
3' x 20'	38" x 240"	96 x 608 cm
4' x 6'	50" x 74"	126 x 188 cm
6' x 8'	74" x 97"	188 x 246 cm
6' x 10'	74" x 121"	188 x 307 cm
6' x 12'	74" x 145"	188 x 367 cm
6' x 16'	74" x 192"	188 x 488 cm
6' x 20'	74" x 240"	188 x 608 cm



### Custom Sizes:

3' and 6' widths up to 60' length  
(sold in 1' increments)

Call for pricing on 4' widths up to 60' length

Apache Spec. #1050

apache  
ecomat®



### Green Content: Montage

Recycled material content as percentage of overall mat weight:

**Backing:** Recycled Rubber.....78%

**Carpet Surface:** Polypropylene and Polyester recycled fibers.....5%

**Edge:** Recycled Vinyl.....5%

Total "green" score.....88%



scrap tires before they enter landfills



tires into crumb rubber



new and exciting matting



Scrap Tires Saved:

1

Plastic Bottles Saved:

4

With each 15 sq. ft. of Montage matting manufactured, one scrap tire and four plastic bottles are saved from entering landfills.



## Indoor Entrance

### Gatekeeper™

Attractive parquet pattern, reinforced with SBR rubber to provide a crush-resistant scraping surface.


#### Recommended Uses:

High-traffic indoor or outdoor entries.


#### Standard Mat Sizes:

Nominal	Actual	Metric
2' x 3'	24" x 36"	60 x 91 cm
3' x 4'	35" x 46"	89 x 116 cm
3' x 5'	35" x 57"	89 x 144 cm
3' x 10'	35" x 117"	89 x 297 cm
4' x 6'	45" x 67"	114 x 170 cm
4' x 10'	45" x 117"	114 x 297 cm

Apache Spec. #905



#### Colors:



- Raised rubber border traps dirt and water below shoe levels and away from indoor floors.
- Tufted Polypropylene carpet resists fading and provides excellent water absorption.
- Gripper backing minimizes movement.
- Easy to clean - vacuum or hose off.



### Absorba™

Classic commercial mat with an absorbent needlepunch carpet surface.



#### Standard Mat Sizes:

Nominal	Actual	Metric
2' x 3'	24" x 34"	60 x 86 cm
3' x 4'	34" x 46"	86 x 116 cm
3' x 5'	34" x 57"	86 x 147 cm
3' x 10'	34" x 118"	86 x 302 cm
4' x 6'	45" x 67"	114 x 172 cm
4' x 10'	45" x 118"	114 x 241 cm
6' x 10'	71" x 118"	180 x 241 cm

#### Special Order Sizes:

3' x 7'	34" x 82"	86 x 208 cm
3' x 8'	34" x 92"	86 x 233 cm
3' x 9'	34" x 104"	86 x 264 cm
3' x 12'	34" x 143"	86 x 363 cm
3' x 14'	34" x 165"	86 x 419 cm
3' x 15'	34" x 177"	86 x 449 cm
3' x 20'	34" x 238"	86 x 604 cm
4' x 2'	45" x 24"	114 x 60 cm
4' x 4'	45" x 48"	114 x 122 cm
4' x 8'	45" x 97"	114 x 246 cm
4' x 12'	45" x 135"	114 x 343 cm
4' x 14'	45" x 165"	180 x 419 cm
4' x 16'	45" x 186"	114 x 472 cm
4' x 20'	45" x 238"	180 x 604 cm
6' x 5'	69" x 57"	175 x 144 cm
6' x 8'	69" x 97"	175 x 246 cm
6' x 12'	69" x 142"	175 x 360 cm
6' x 14'	69" x 164"	175 x 416 cm
6' x 16'	69" x 194"	175 x 492 cm
6' x 18'	69" x 216"	175 x 548 cm
6' x 20'	69" x 238"	175 x 604 cm

Apache Spec. #900



#### Colors:



- Rubber reinforced raised molded pattern scrapes dirt as well as moisture, keeping water below shoe level.
- Long lasting SBR rubber backing and border keeps moisture in the mat and away from indoor flooring.
- Tufted Polypropylene carpet won't fade and dries quickly.


#### Recommended Uses:

High-traffic indoor or outdoor entries.



## New Heavy-Duty Carpet Surface

- New needlepunch carpet with extra coarse fibers and surface coating for longer wear.
- Functional, non-directional scraping pattern offers outstanding performance with high fashion appeal.
- Heavy-duty rubber reinforced surface pattern prevents matting down. A double border traps dirt and water away from indoor floors.
- Stain and fade resistant, offers excellent water absorption. Dries quickly.



### Colors:



Charcoal



Steel Gray



Chocolate




Marine Blue

Apache Spec. #899

## Incredible Value!

- Heavy-duty backing made from recycled rubber. Carpet surface made with recycled fibers from plastic bottles.
- Molded rubber backing provides heft and durability. Rubber reinforced face nubs prevent pile from crushing and extends product life.
- Attractive double border traps dirt and water away from indoor floors.
- Needlepoint synthetic carpet provides excellent water absorption, resists fading and staining. Dries quickly.



### Colors:



Onyx



Slate Gray



Walnut



Indigo Blue



Red/Black

Apache Spec. #1008

## Apache Ecomat® Crosshatch™

Now Crosshatch, part of our EcoMat® line and one of our most popular mats, is available with an extremely rugged carpet surface for long-term wear. Both the surface and backing materials are made with recycled materials.

### Recommended Uses:

Ideal for medium to high-traffic entrance areas in decorative settings like small shops and offices. Good for inside or outside use.



### Standard Mat Sizes:

Nominal	Actual	Metric
2' x 3'	24" x 36"	60 x 91 cm
3' x 5'	36" x 60"	91 x 152 cm
4' x 6'	47.5" x 72"	121 x 183 cm



Recycled plastic bottles (carpet) and scrap tires (backing) produce a quality mat with the **highest recycled material content** in the industry



Scrap Tires Saved: **1**

Plastic Bottles Saved: **4**

With each 15 sq. ft. of Crosshatch matting made, one scrap tire and four plastic bottles are saved from entering landfills.

## Apache Ecomat® Squares™

Ultimate "green" entrance matting, made with 95% recycled materials.

### Recommended Uses:

Medium-traffic indoor or outdoor entries.



### Standard Mat Sizes:

Nominal	Actual	Metric
2' x 3'	24" x 36"	60 x 91 cm
3' x 5'	36" x 60"	91 x 152 cm
4' x 6'	47.5" x 72"	121 x 183 cm



Recycled plastic bottles (carpet) and scrap tires (backing) produce a quality mat with the **highest recycled material content** in the industry



Scrap Tires Saved: **1**

Plastic Bottles Saved: **13**

With each 15 sq. ft. of Squares matting made, one scrap tire and thirteen plastic bottles are saved from entering landfills.



## Lustre Twist™

Classic commercial matting with a plush nylon surface.

### Recommended Uses:

Medium to high-traffic indoor entrances.

### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 4'	91 x 122 cm
3' x 5'	91 x 152 cm
3' x 6'	91 x 183 cm
3' x 10'	91 x 305 cm
4' x 6'	122 x 183 cm
4' x 8'	122 x 244 cm

### Standard Roll Sizes:


Nominal	Metric*
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm
6' x 60'	183 x 1829 cm

\*Metric based on nominal size

### Custom Sizes:

3', 4' and 6' widths up to 60' length

Apache Spec. #1015



- High quality nylon carpet provides outstanding absorption, durability and color fastness.
- Heat-set and twisted nylon fibers trap dirt, moisture and resist matting down.
- Slip resistant vinyl backing.

### Colors:



## Apache Grip™

Highest quality nylon surface featuring Nitrile rubber backing with cleats, minimizing movement.

### Recommended Uses:

High-traffic indoor entrances.

### Standard Mat Sizes:

Nominal	Actual	Metric
2' x 3'	24" x 34"	60 x 86 cm
3' x 4'	34" x 46"	86 x 116 cm
3' x 5'	34" x 58"	86 x 147 cm
3' x 10'	34" x 119"	86 x 302 cm
4' x 6'	45" x 68"	114 x 173 cm
4' x 8'	45" x 95"	114 x 241 cm

### Custom Sizes:

3' and 4' widths up to 20' length  
Actual widths: 3' = 34" and 4' = 45"

Apache Spec. #1014



- Heat-set and twisted nylon yarn traps dirt, moisture and resists matting down.
- Plush nylon yarn for outstanding durability and color fastness.
- 100% Nitrile rubber backing.
- Machine washable commercial mat.

### Colors:







- Multi-level olefin construction effectively removes and traps dirt and moisture.
- Two-tone heavyweight carpet is crush resistant and maintains a clean appearance even after extended use.

**Colors:**

Granite



Brown



Emerald

- Thick and plush Olefin cut-pile yarn construction dries quickly.
- Stain and fade resistant carpet surface.
- Slip resistant vinyl backing.

**Colors:**

Smoke



Charcoal



Walnut



Beige



Blue



Hunter Green



Red/Black

**Plush Tuff™ Solids\***

Apache Spec. #1016



Solid Black



Solid Grey



Solid Navy



Solid Burgundy

\*Plush Tuff Solids pricing is different than Plush Tuff

**Prestige™**

Fashionable grand entrance mat with slip resistant vinyl backing.

**Recommended Uses:**

Medium to high-traffic indoor entrances.

**Standard Mat Sizes:**

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 4'	91 x 122 cm
3' x 5'	91 x 152 cm
3' x 6'	91 x 183 cm
3' x 10'	91 x 305 cm
4' x 6'	122 x 183 cm
4' x 8'	122 x 244 cm

**Standard Roll Sizes:**

Nominal	Metric*
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

\*Metric based on nominal size

**Custom Sizes:**

3' and 4' widths up to 60' length

Apache Spec. #1013

**Plush Tuff™**

For outstanding absorption and durability, choose the classic, popular Plush Tuff.

**Recommended Uses:**

Medium to high-traffic indoor entrances.

**Standard Mat Sizes:**

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 4'	91 x 122 cm
3' x 5'	91 x 152 cm
3' x 6'	91 x 183 cm
3' x 10'	91 x 305 cm
4' x 6'	122 x 183 cm
4' x 8'	122 x 244 cm

**Standard Roll Sizes:**

Nominal	Metric*
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm
6' x 60'	183 x 1829 cm

\*Metric based on nominal size

**Custom Sizes:**

3', 4' and 6' widths up to 60' length

Apache Spec. #1000



## Indoor Entrance

### Standard Tuff™

A lighter version of Plush Tuff, the Standard Tuff Olefin offers similar performance at a value price.

#### Recommended Uses:

Medium-traffic indoor entrances.

#### Standard Mat Sizes:



Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 4'	91 x 122 cm
3' x 5'	91 x 152 cm
3' x 6'	91 x 183 cm
3' x 10'	91 x 305 cm
4' x 6'	122 x 183 cm
4' x 8'	122 x 244 cm

#### Standard Roll Sizes:




Nominal	Metric*
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm
6' x 60'	183 x 1829 cm

\*Metric based on nominal size


#### Custom Sizes:

3', 4' and 6' widths up to 60' length

Apache Spec. #1017



#### Colors:



- Olefin cut-pile yarn construction dries quickly.

- Slip-resistant vinyl backing.

- Stain and fade resistant carpet surface.



### DuroRib™

Berber style needlepunch carpet provides great wear characteristics with an attractive appearance.

#### Recommended Uses:

Medium to high-traffic indoor entrances

#### Standard Mat Sizes:



Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 4'	91 x 122 cm
3' x 5'	91 x 152 cm
3' x 6'	91 x 183 cm
3' x 10'	91 x 305 cm
4' x 6'	122 x 183 cm
4' x 8'	122 x 244 cm

#### Standard Roll Sizes:



Nominal	Metric*
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm
6' x 60'	183 x 1829 cm

\*Metric based on nominal size


#### Custom Sizes:

3', 4' and 6' widths up to 60' length

Apache Spec. #1003



#### Colors:



- Bi-level nib construction improves scraping performance and hides dirt and debris in lower level fibers.


- Needlepunch carpet is fade and stain resistant.

- Slip-resistant vinyl backing.





- Ribbed carpet surface in coarse fibers provide great scraping action and moisture retention.
- Bi-level carpet construction traps and hides dirt in recessed channels for increased safety.
- Stain and fade-resistant needlepunch carpet.
- Slip-resistant vinyl backing.



## Chevron Rib™

Attractive Herringbone needle-punch carpet cleans shoes from any mat direction.

### Recommended Uses:

Medium-traffic indoor entrances.



### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 4'	91 x 122 cm
3' x 5'	91 x 152 cm
3' x 6'	91 x 183 cm
3' x 10'	91 x 305 cm
4' x 6'	122 x 183 cm
4' x 8'	122 x 244 cm



### Standard Roll Sizes:

Nominal	Metric*
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm
6' x 60'	183 x 1829 cm

\*Metric based on nominal size



### Custom Sizes:

3', 4' and 6' widths up to 60' length

Apache Spec. #1002

- Popular rib construction traps dirt and moisture in recessed channels below shoe level.
- Stain and fade resistant needlepunch carpet.
- Slip-resistant vinyl backing.



## Apache Rib™

Top selling commercial mat provides good performance at a value price

### Recommended Uses:

Medium-traffic indoor entrances.



### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 4'	91 x 122 cm
3' x 5'	91 x 152 cm
3' x 6'	91 x 183 cm
3' x 10'	91 x 305 cm
4' x 6'	122 x 183 cm
4' x 8'	122 x 244 cm



### Standard Roll Sizes:

Nominal	Metric*
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm
6' x 60'	183 x 1829 cm

\*Metric based on nominal size



### Custom Sizes:

3', 4' and 6' widths up to 60' length

Apache Spec. #1001



## 3 Part System

- Provides the 15 feet of matting required to clean shoes thoroughly.
- Tufted level loop carpet in matching colors.
- Slip, stain, and fade-resistant polypropylene carpet on vinyl backing.

### Recommended Uses:

Complete entrance foyer system.  
Medium to high traffic.

### Standard Mat Sizes:



Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 4'	91 x 122 cm
3' x 5'	91 x 152 cm
3' x 6'	91 x 183 cm
3' x 10'	91 x 305 cm
4' x 6'	122 x 183 cm
4' x 8'	122 x 244 cm

### Standard Roll Sizes:



Nominal	Metric*
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

\*Metric based on nominal size



### Custom Sizes:



3' and 4' widths up to 60' length

### Entrance Matting System:

Color coordinate a complete entrance area with these three distinctive mats for outside (1), foyer (2), and inside (3) use



Coarse  
yarn for  
aggressive  
scraping

Dual fiber  
construction  
for scraping  
and water  
absorption

Tightly  
woven  
fibers for  
fine clean-  
ing and  
drying

PART 1

## Brush Loop™

- Outdoor scraper mat using thick, coarse grass yarn for aggressive scraping action.
- Twisted loop pile, non-absorbent fibers for long lasting performance.

Apache Spec. #1005

### Colors:



Charcoal



Navy Blue



Hunter Green



Burgundy

PART 2

## Brush & Clean™

- Lobby and foyer mat
- Dirt scraping grass fibers combined with water-absorbing Olefin® fibers provide a dual cleaning action.

Apache Spec. #1006

### Colors:



Charcoal



Navy Blue



Hunter Green



Burgundy

PART 3

## Clean Loop™

- Indoor entrance mat engineered for fine cleaning and drying action.
- Level loop Olefin® construction provides stand-alone performance for any entrance or hallway.

Apache Spec. #1007

### Colors:



Charcoal



Navy Blue



Hunter Green




Burgundy

- Nylon heat-set, twisted fibers provide scraping and water absorption.
- Superior stain resistance and color fastness.
- Durable 100% Nitrile rubber backing with cleats minimize mat movement.
- Up to 8 color prints. Choose from 186 colors.  
Call for details and pricing.
- No artwork or set-up charges.



COLORFUL MATS  
CREATE A MORE  
DRAMATIC ENTRANCE!



Full color logo matting can be used in many retail settings in addition to entryways



Lobbies and entryways are perfect locations to display your company name and logo



## In-Style™

Create an attractive and welcoming inside business entrance with these inkjet-printed logo mats.

### Recommended Uses:

High-traffic indoor entrances.



### Standard Mat Sizes:

Nominal	Actual	Metric
3' x 4'	33" x 45"	84 x 114 cm
3' x 5'	33" x 57"	84 x 145 cm
4' x 6'	45" x 68"	114 x 173 cm
3' x 10'	33" x 115"	84 x 292 cm

### Special Order Sizes:

2' x 3'	22" x 33"	56 x 84 cm
3' x 6'	33" x 68"	84 x 173 cm
4' x 8'	45" x 91"	114 x 231 cm
4' x 10'	45" x 115"	114 x 292 cm
4' x 12'	45" x 139"	114 x 353 cm
5' x 8'	57" x 91"	145 x 231 cm
5' x 10'	57" x 115"	145 x 292 cm
5' x 12'	57" x 139"	145 x 353 cm
5' x 20'	57" x 230"	145 x 584 cm



### Custom Sizes:

2', 3', 4', and 5' widths up to 24' length

Actual widths:

2' = 22", 3' = 33", 4' = 45", 5' = 57"

Apache Spec. #1060

## 5 EASY STEPS

FOR A CUSTOM LOGO MAT

1. Customer submits a digital art file.
2. We match the artwork to our color bank.
3. We send a proof for customer approval.
4. Customer signs off on proof.
5. We process the order and produce the mat.



# Outdoor Entrance

## Make a Clean First Impression

Apache outdoor entrance matting is more exciting than ever before, now offering more choices for every outdoor application.

## Recycled Materials in Our Mats - Not in Our Landfills

The majority of our outdoor matting products have been re-engineered with the highest level of recycled materials. Apache Grip™ is one of the best values in the industry. The innovative AquaFlow™ mat offers maximum shoe scraping performance as dirt and liquid are drained out.

## Keep Dirt Outside Where it Belongs

Our outdoor matting reduces maintenance costs. Most dust, dirt and floor-damaging soil found in commercial buildings are tracked inside from people's shoes. With Apache outdoor mats, the dirt stops at the door!



AquaFlow

Trooper

SuperGrip

The Looper


CleanScrape

Mission






- Flow-through drainage mat keep dirt and moisture off the mat for a clean appearance.
- Extremely easy to keep clean, shake or hose-off.
- Made from 60% recycled rubber materials.



Black



## AquaFlow™

Dual wiper blade and nib construction provides outstanding cleaning action and anti-slip performance.

### Recommended Uses:

Outdoor high-traffic entrance areas such as ski resorts and other recreational facilities exposed to snow and mud conditions.



### Standard Mat Sizes:

Actual	Metric
32" x 39"	81 x 99 cm
36" x 59"	91 x 150 cm


Apache Spec. #360



- Functional rubber construction with beveled edges for added safety.
- Easy to keep clean, shake or hose-off.
- Made from 60% recycled rubber materials.



Black



## Trooper™

Classic finger tip construction provides outstanding cleaning action and anti-slip performance.

### Recommended Uses:

Medium to high-traffic outdoor entrances – ideal mat for snow and mud conditions.



### Standard Mat Sizes:

Actual	Metric
24" x 32"	61 x 81 cm
32" x 39"	81 x 99 cm
36" x 60"	91 x 152 cm
36" x 72"	91 x 183 cm

Apache Spec. #345

## Outdoor Entrance

### SuperGrip™

Our most popular rubber entrance mat provides great shoe scraping performance, wearability and weather resistance.

**Recommended Uses:**  
Busy outdoor entrances.

#### Standard Mat Sizes:



Nominal	Actual	Metric
3' x 5'	34" x 55"	86 x 140 cm
4' x 6'	44" x 67"	112 x 170 cm


Apache Spec. #330



- Low profile rib construction clears entrance doors.
- Environmentally friendly rubber compound uses 60% recycled materials.



Black



### The Looper™

Rugged, vinyl coated nylon loops hold up under the most demanding conditions – from rain to snow.

**Recommended Uses:**  
Outdoor high-traffic entrances – great for sports areas, pools and leisure settings.

#### Standard Mat Sizes:



Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 4'	91 x 122 cm
3' x 5'	91 x 152 cm
3' x 6'	91 x 183 cm
3' x 10'	91 x 305 cm
4' x 6'	122 x 183 cm
4' x 8'	122 x 244 cm

#### Standard Roll Sizes:



Nominal	Metric*
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

\*Metric based on nominal size

#### Custom Sizes:

3' and 4' widths up to 60' length

Apache Spec. #1019



Fortified Vinyl-Coated Nylon Yarn



Vinyl Backing



#### Colors:



Solid Gray



Solid Brown



Beige Tweed



Avocado




Red/Black Tweed



- Thick loop construction effectively wipes and scrapes off dirt and debris.
- Dries quickly as water drains off the mat.
- Slip-resistant vinyl backing.





Chestnut

Midnight Blue


Graphite

### • New and improved grit adhesion!


- Extreme cleaning performance for all weather conditions.
- Unique grit surface effectively cleans shoes while hiding dirt in recessed channels.
- Extremely easy to keep clean, shake or hose-off.




Grit surface texture increases traction and reduces slipping



- Popular parquet pattern provides multi-directional cleaning performance.
- Extremely easy to keep clean, just shake or hose-off.



**Recommended Uses:**  
Medium to high-traffic outdoor areas.



## Apache Ecomat® CleanScape™

Outdoor mat with extreme traction surface, made from 88% recycled materials.

### Recommended Uses:


Medium-traffic outdoor entrances – great for mud conditions.



### Standard Mat Sizes:

Nominal	Actual	Metric
2' x 3'	23" x 36"	58 x 91 cm
3' x 5'	35" x 59"	89 x 150 cm
4' x 6'	47" x 71"	119 x 180 cm

Apache Spec. #1020



Scrap Tires Saved: **1**

With each 15 sq. ft. of CleanScape matting manufactured, one scrap tire is saved from entering landfills.

## Apache Ecomat® Mission™

Durable recycled rubber outdoor mat using 96% recycled materials.



### Standard Mat Sizes:

Nominal	Actual	Metric
2' x 3'	23" x 36"	58 x 91 cm
3' x 5'	36" x 57"	91 x 145 cm
4' x 6'	45" x 67"	114 x 170 cm

Apache Spec. #1012



Scrap Tires Saved: **1**

With each 15 sq. ft. of Mission matting manufactured, one scrap tire is saved from entering landfills.



# IndustrialDry

Anti-Fatigue



Diamond Foot  
Supreme SlipTech  
Weldmaster  
Marble Foot  
K-Marble Foot  
K-Marble Foot AMBL  
Invigorator  
ArmorStep  
ErgoFlex  
BubbleFlex  
Soft Foot




**Standing on hard surfaces for long periods of time produces detrimental effects on the body.**


**Apache matting offers:**

- Reduces fatigue from standing, easing pressure to feet, legs and back.
- Softness, support and better weight distribution.
- Reduced impact on joints.
- Resilient foam construction. The mat "bounces" back to the foot when being compressed, which alleviates fatigue.

## The Orthopedic Advantage








Black/ Yellow

Black



**OUTSTANDING COMFORT!**  
surface AND foam backing compress for extra comfort.




- 3/16" rubberized surface bonded to ergonomic vinyl closed cell foam provides unparalleled comfort compared to other composite anti-fatigue mats.
- Large industrial pyramid surface provides great traction, compression and dual compression-deflection properties between surface and foam.
- Rubberized wear-surface outlasts other wear-surfaces. Less than 1% loss (per ASTM D3884; 1000 Gram load; 1000 cycles).
- Wear-surface will resist most common chemicals.
- Limited 3-year warranty against wear and delamination.



Black



Textured rubber surface repels sparks



- Rubber surface is spark resistant and resists common fluids and most chemicals.
- 3/8" closed cell-foam base bonded to a 1/8" rubber surface provides all day relief from fatigue.
- Limited 3-year warranty against wear and delamination.



## Supreme SlipTech™

1 1/16" THICK

Outstanding comfort with a modern surface design, SlipTech offers high-tech appearance with enhanced durability.

### Recommended Uses:

Industrial, packing and shipping work cells. Machine shops, workstations and maintenance areas.



### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm



### Standard Roll Sizes:

Nominal	Metric*
2' x 60'	61 x 1829 cm
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

\*Metric based on nominal size



### Custom Sizes:

2', 3' and 4' widths up to 60' length



### Custom Configurations:

Create unique shapes to fit any workspace. Call for details.

Apache Spec. #220

## Weldmaster™

1 1/2" THICK

Durable anti-fatigue matting designed for welding and other industrial applications.

### Recommended Uses:

Welding and grinding work cells. General industrial anti-fatigue settings.



### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm



### Standard Roll Sizes:

Nominal	Metric*
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

\*Metric based on nominal size



### Custom Sizes:

2', 3' and 4' widths up to 75' length

Apache Spec. #800

9"  
16  
THICK

## Diamond Foot™

Durable vinyl surface bonded to a resilient, closed-cell vinyl foam, providing excellent anti-fatigue and wear characteristics.

### Recommended Uses:

Automotive and industrial work cells. Packing, machine shops and maintenance areas.

### Standard Mat Sizes:



Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm

### Standard Roll Sizes:



Nominal	Metric*
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

\*Metric based on nominal size

### Custom Sizes:



2', 3' and 4' widths up to 75' length

### Custom Configurations:



Create unique shapes to fit any workspace. Call for details.

### Colors:



Solid Black



Solid Gray



Black/Yellow



Black/Yellow  
Chevron



Black/Red



Black/Green




Black/Blue



Black/Orange

Apache Spec. #210

## Industrial Dry Anti-Fatigue




- Industry favorite diamond plate surface for enhanced traction.
- Diamond plate surface made from 100% recycled materials
- Beveled edges for safety.
- Surface resists common fluids, most chemicals and is non-flammable.
- Limited 3-year warranty against wear and delamination.







- Thick ErgoFlex foam technology provides greater resilience and enhanced worker standing comfort.
- Available in same color options as Diamond Foot.
- Limited 3-year warranty against wear and delamination.



## Supreme Diamond Foot™

11"  
16  
THICK

The same great features as regular Diamond Foot™ but this matting uses 1/2" thick ErgoFlex™ foam for enhanced standing comfort.



### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm



### Standard Roll Sizes:

Nominal	Metric*
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

\*Metric based on nominal size



### Custom Sizes:

2', 3' and 4' widths up to 75' length




### Custom Configurations:

Create unique shapes to fit any workspace. Call for details.

Apache Spec. #215

- Thickest ErgoFlex foam provides the ultimate comfort in the most demanding work environments.
- Available in solid black, black/yellow, and black/yellow chevron only
- Limited 3-year warranty against wear and delamination.



## Ultimate Diamond Foot™

15"  
16  
THICK

With 3/4" thick ErgoFlex™ foam, this matting offers the ultimate standing comfort.



### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm



### Standard Roll Sizes:

Nominal	Metric*
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

\*Metric based on nominal size



### Custom Sizes:

2', 3' and 4' widths up to 75' length



### Custom Configurations:

Create unique shapes to fit any workspace. Call for details.

Apache Spec. #230



**1"  
2**  
THICK

## Marble Foot™

Anti-fatigue mat with a rubber surface bonded to a 3/8" closed-cell vinyl foam.

### Recommended Uses:

Service counters, assembly lines, shipping and packaging cells, hospitals and laboratories.

### Standard Mat Sizes:

Nominal	Metric*
18" x 30"	46 x 76 cm
18" x 48"	46 x 122 cm
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm

### Standard Roll Sizes:

Nominal	Metric*
2' x 60'	61 x 1829 cm
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

\*Metric based on nominal size

### Colors:



Tan



Brown / Ivory



Blue




Grey




Black / White

Apache Spec. #240

## Industrial Dry Anti-Fatigue



**3**  
YEAR  
WARRANTY



### Custom Sizes:

2', 3' and 4' widths up to 60' length



### Custom Configurations:

Create unique shapes to fit any workspace. Call for details.

- Durable anti-fatigue mat with a rubber surface bonded to a 3/8" closed-cell vinyl foam for uncompromised standing comfort.
- Marble-effect top surface hides dirt and is easy to clean.
- Resist common chemicals and solvents when cleaned regularly.
- Limited 3-year warranty against wear and delamination.





**Custom Sizes:**

2', 3' and 4' widths up to 60' length

**Custom Configurations:**

Create unique shapes to fit any workspace. Call for details.



Blue

Black / White

Gray/Ivory/White



Marbleized vinyl surface

Available in 1/2" or 7/8" thickness

**ErgoFlex™** closed-cell foam  
(Image not shown to scale)

- Wear-resistant vinyl surface bonded to comfortable foam backing relieves fatigue from prolonged standing.
- Industry popular marble-effect top surface hides dirt and is easy to clean.
- Resist common chemicals and solvents when cleaned regularly.
- Limited 3-year warranty against wear and delamination.

**Custom Sizes:**

2', 3' and 4' widths up to 60' length

**Custom Configurations:**

Create unique shapes to fit any workspace. Call for details.

**Colors:**

Blue



Grey



Black / White


**Anti-Microbial (AMBL)**  
marbleized vinyl surface

Available in 1/2" or 7/8" thickness

**ErgoFlex™** closed-cell foam with  
anti-microbial additives  
(Image not shown to scale)

- Antimicrobial additives helps prevent growth of harmful microorganisms.
- Comfortable and wear resistant, designed for heavy-duty commercial use.

Refined textured surface for added traction

**K-Marble Foot™****1"**  
THICK

Anti-fatigue mat with a vinyl surface bonded to a 3/8" closed-cell vinyl foam.

**Standard Mat Sizes:**

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm

**Standard Roll Sizes:**

Nominal	Metric*
2' x 60'	61 x 1829 cm
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

\*Metric based on nominal size

**Apache Spec. #242****Ultimate K-Marble Foot™****7"**  
8 THICK

Same construction and features as K-Marble Foot™ but with a 3/4" foam base for even more comfort.

(Same sizing as K-Marble)

**Recommended Uses:**

Service counters, assembly lines, shipping and packaging cells, hospitals and laboratories.

**Apache Spec. #243****Anti-Microbial (AMBL) K-Marble Foot™****1"**  
2 THICK

Hygienic anti-fatigue matting is uniquely manufactured with built-in antimicrobial and anti-fungal protection. It offers the same anti-fatigue performance and quality construction as our standard K-Marble Foot product.

(Same sizing as K-Marble)

**Recommended Uses:**

Ideal for public, institutional, commercial and healthcare settings like labs, daycare facilities, schools, hospitals and nursing homes.

**Apache Spec. #244****Anti-Microbial (AMBL) K-Marble Foot™****7"**  
8 THICK

Same construction and features as K-Marble Foot™ AMBL but with a 3/4" foam base for even more comfort.

(Same sizing as K-Marble)

**Apache Spec. #245**

**1"**  
**2**  
THICK

## Invigorator™

Durable fluted vinyl surface enhances traction and is easy to clean.

### Recommended Uses:

Industrial, distribution, maintenance and machine shops.

### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm

### Standard Roll Sizes:

Nominal	Metric*
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

\*Metric based on nominal size

### Custom Sizes:

2', 3' and 4' widths up to 75' length

Apache Spec. #235

## Industrial Dry Anti-Fatigue



Black / Yellow

Black



- Beveled edges for added safety and allows trolley (cart) access.
- Resists common chemicals and fluids, if cleaned regularly.
- Comfortable ErgoFlex™ foam provides anti-fatigue relief.
- Limited 3-year warranty against wear and delamination.



**3**  
YEAR  
WARRANTY

**1"**  
**2**  
THICK

## ArmorStep™

Two layer foam with an extra-tough surface layer provides amazing, long wearing durability.

### Recommended Uses:

Industrial, service counters, distribution and machine shops.

### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm

### Standard Roll Sizes:

Nominal	Metric*
2' x 60'	61 x 1829 cm
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

\*Metric based on nominal size

### Custom Sizes:

2', 3' and 4' widths up to 60' length


Apache Spec. #150



Black  
Pebble  
Emboss

**EXTRA  
DURABLE  
SURFACE**

Black  
Diamond  
Emboss



**3**  
YEAR  
WARRANTY



**Tough  
Surface**

- Outlast traditional one layer foam mats 3 to 1.
- Dual dense foam is a great cost effective alternative to other laminated foam-based products.
- Resist common chemicals and fluids.
- Limited 3-year warranty against wear and delamination.





- Buoyant ErgoFlex™ foam reduces pressure pain caused from prolonged standing and stimulates muscles and blood flow.
- Handles most common fluids, and stays buoyant even at low temperatures.
- Beveled edges and aggressive surface texture for extra safety.



Black

Black / Yellow



## ErgoFlex™

Special formulated foam with enhanced cell structure offers ultimate ergonomic support.

### Recommended Uses:

Service counters, packing and assembly stations.

### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm

### Standard Roll Sizes:

Nominal	Metric*
2' x 60'	61 x 1829 cm
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm
6' x 60'	183 x 1829 cm

6' widths available in black only


\*Metric based on nominal size

### Custom Sizes:

2', 3', 4' and 6' widths up to 60' length

Apache Spec. #135

Black



## BubbleFlex™

Functional air-pocket design provides comfort and exceptional durability in demanding industrial settings.

### Recommended Uses:

Industrial work cells. Registers, service, and checkout counters.

### Standard Mat Sizes:

Nominal	Metric
2' x 3'	60 x 91 cm
3' x 4'	91 x 122 cm

Apache Spec. #325

- Sturdy rubber bubble design stimulates blood flow and energizes workers' legs and backs.
- Oil and grease resistant.
- Beveled edges for extra safety.

**1"**  
4  
THICK

**3"**  
8  
THICK

## Soft Foot™

Comfortable anti-fatigue matting provides relief for aching feet and lower back.

### Recommended Uses:

Industrial, lab, and service counters.  
Shipping and packing work cells.

### Standard Mat Sizes:

Nominal	Metric
2' x 3'	61 x 91 cm
27" x 36"	68 x 91 cm
27" x 60"	68 x 152 cm
3' x 5'	91 x 152 cm

### Standard Roll Sizes:

Nominal	Metric*
2' x 30'	61 x 914 cm
2' x 60'	61 x 1829 cm
3' x 30'	91 x 914 cm
3' x 60'	91 x 1829 cm
4' x 30'	122 x 914 cm
4' x 60'	122 x 1829 cm
6' x 60'	183 x 1829 cm

\*Metric based on nominal size

### Custom Sizes:

2', 3', 4' and 6' widths up to 60' length


Apache Spec. #106 – 1/4" Thickness

Apache Spec. #105 – 3/8" Thickness

## Industrial Dry Anti-Fatigue



- Closed cell vinyl foam recommended for dry to moist environments.
- Textured surface patterns and beveled edges provide safety.
- Materials can be trimmed to custom fit any work area.



Available in 1/4" or 3/8" thickness  
(Image not shown to scale)



**3"**  
8  
THICK

## Safety Soft Foot™

Soft Foot construction with OSHA Yellow borders for high visibility and safety.

### Recommended Uses:

Industrial, lab, and service counters.  
Shipping and packing work cells.

### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm

### Standard Roll Sizes:

Nominal	Metric*
2' x 60'	61 x 1829 cm
3' x 30'	91 x 914 cm
4' x 60'	122 x 1829 cm


\*Metric based on nominal size

### Custom Sizes:

2', 3' and 4' widths up to 60' length

Apache Spec. #110 – Safety Soft Foot


Apache Spec. #111 – with DuraShield



with  
**DuraShield™**  
for Extra  
Wear-Resistance

DuraShield polyurethane coating optional on Pebble embossed surfaces for added wear-resistance  
(optional on pebble surface only)  
(see price list for details)

- Provides underfoot cushioning.
- Insulate feet from cold, concrete floors.
- Bright yellow borders increase safety awareness.








Black

Black/ Yellow



- Diamond-patterned anti-fatigue matting offers comfortable underfoot cushioning.
- Reduces pressure pain caused by prolonged standing.
- Closed cell vinyl foam recommended for dry to moist environments.
- Wear-resistant surface skin.



## Diamond Deluxe Soft Foot™

1"  
2  
THICK

Industry popular diamond plate surface provides great traction and now includes wear-resistant surface skin.

### Recommended Uses:

Industrial, lab, and service counters. Shipping and packing work cells.



### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 12'	91 x 366 cm



### Standard Roll Sizes:

Nominal	Metric*
2' x 60'	61 x 1829 cm
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

\*Metric based on nominal size



### Custom Sizes:

2', 3' and 4' widths up to 60' length

Apache Spec. #117 – Black

Apache Spec. #118 – Black/Yellow

## Supreme Soft Foot™

5"  
8  
THICK

Same great features as our standard Soft Foot with increased thickness for additional comfort.

### Recommended Uses:

For long standing work environments. Perfect for industrial workstations, service counters, cashier stands and assembly lines.



### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm



### Standard Roll Sizes:

Nominal	Metric*
2' x 60'	61 x 1829 cm
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm



\*Metric based on nominal size



### Custom Sizes:

2', 3' and 4' widths up to 60' length

Apache Spec. #115



Black -  
Pebble Emboss



- Long-wearing pebble emboss surface.
- Double thick foam provides extra soft cushioning.
- Beveled edges for increased safety.

# IndustrialWet

## Anti-Fatigue



WorkStep

TruTread

Safety TruTread

Performa 100N

Performa

Performa SD



### Drainage, Comfort, and Safety

Apache's anti-fatigue matting for wet areas offers comfort and drainage as it elevates workers off the floor for greater safety.


### Wherever You Stand - Stand on Us

Apache mats are ideal for restaurants, machine shops and industrial workstations. Apache offers a complete assortment, from top-of-the-line comfort and greaseproof construction, to economical general-purpose matting.





- Comfortable anti-fatigue design with beveled edges.
- Available in a grease-resistant red or general purpose black color.
- WorkStep black is also available with a gritted surface for enhanced traction.



## WorkStep™

Lightweight rubber drainage mat for easy handling and cleaning.

### Recommended Uses:

Bar and kitchen wet areas. Oily and greasy industrial workstations.



### Standard Mat Sizes:

Nominal	Metric*
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm
3' x 15'	91 x 457 cm
3' x 20'	91 x 610 cm

\*Metric based on nominal size



### Custom Configurations:

Create unique shapes to fit any workspace. Call for details.

### Colors:



Black

Apache Spec.#300



Red

Apache Spec.#305



Black with GritTuff™

Apache Spec.#301

## WorkStep™ with GritTuff™

GritTuff surface texture increases traction and reduces slipping.



**7"**  
**8**  
THICK

## TruTread™

Heavy-duty 7/8" thick rubber construction for wet, demanding environments.

### Recommended Uses:

Bar and kitchen wet areas. Oily and greasy industrial workstations.

### Standard Mat Sizes:

Nominal	Metric*
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm
3' x 15'	91 x 457 cm

\*Metric based on nominal size

### Custom Configurations:

Create unique shapes to fit any workspace. Call for details.

### Colors:

Black  
Apache Spec.#311

Red  
Apache Spec.#312

Black w/ GritTuff™  
Apache Spec.#313

## TruTread™ with GritTuff™

GritTuff surface texture increases traction and reduces slipping



## Industrial Wet Anti-Fatigue




Grease-Resistant  
Black with  
GritTuff™

Greaseproof  
Red


Grease-Resistant  
Black

- Drainage holes allow liquids and waste to pass through matting.
- Comfortable construction eases fatigue and increases productivity.
- Oil and grease-resistant.
- Available in a greaseproof red or grease-resistant black color.
- TruTread™ black is also available with a gritted surface for extra traction.




**TruTread™  
X-Connector**  
is an easy way to join multiple TruTread mats together to cover large areas. Call for details.





- Colored borders for increased safety awareness.
- Exceptional anti-fatigue comfort for wet, greasy, and dry environments.
- Elevated construction allows fluids to drain away from work area.
- Connectors available to link mats together for larger areas.
- Available in a grease-resistant black color.

**3**  
YEAR  
WARRANTY



**TruTread™ X-Connector**  
is an easy way to join multiple TruTread mats together to cover large areas. Call for details.



## Safety TruTread™

**7"**  
**8**  
THICK

Heavy-duty 7/8" rubber construction with durable, beveled borders in contrasting colors.

### Recommended Uses:

Wet manufacturing and industrial work cells.



#### Standard Mat Sizes (3-sided):

Actual	Metric
26" x 40"	66 x 102 cm
38" x 52"	97 x 132 cm
38" x 64"	97 x 163 cm
38" x 124"	97 x 315 cm



#### Standard Mat Sizes (4-sided):

Actual	Metric
28" x 40"	71 x 102 cm
40" x 52"	102 x 132 cm
40" x 64"	102 x 163 cm
40" x 124"	102 x 315 cm



### Custom Configurations:

Create unique shapes to fit any workspace. Call for details.

### Colors:



Black with yellow borders




Black with orange borders

Apache Spec. #319


## Safety TruTread™ with GritTuff™

GritTuff surface texture increases traction and reduces slipping.

(available with orange or yellow borders ONLY)



Black with GritTuff & orange borders



Black with GritTuff & yellow borders

Apache Spec. #320

5"  
8  
THICK

## Performa™ 100N

Interlocking drainage mat with highest level resistance against petroleum-based and caustic fluids.

### Recommended Uses:

Bar, kitchen and food processing areas. Industrial workstations exposed to grease, petroleum based chemicals, and caustic fluids.

### Standard Mat Sizes:

Nominal	Metric*
3' x 3'	91 x 91 cm

\*Metric based on nominal size



### Custom Configurations:

Create your own unique shapes to fit any workspace.

### Colors:


Black - 100% Nitrile  
Apache Spec. #321

Black - 100% Nitrile w/ GritTuff™  
Apache Spec. #322

### Beveled Edge Pieces (optional)


Performa™ 100N matting can be ordered with removable yellow edging:

3" x 39" edging also sold individually.  
See price list for details.



### 2 SIDED CONNECTORS

Performa 100N has connectors on 2 sides to easily join multiple mats together to build larger matting areas in any direction. Disconnect for easy cleaning.




## Industrial Wet Anti-Fatigue



100% Nitrile Black  
with Grit Tuff™

100% Nitrile Black

100%  
NITRILE



Holes in mat allow drainage  
away from work area

5"  
8  
THICK

Nibs elevate mat to allow drainage

- Made from Nitrile materials, Performa 100N is ideal for demanding kitchen and industrial environments exposed to oil and grease spills and caustic fluids.

- Performa 100N will not deteriorate from the effect of oils and fats.

- Heavy-duty 5/8" thick rubber construction provides a comfortable and safe standing surface.

- Nib backing elevates mat above surface for improved drainage and large holes size allows debris to fall through.

- Can be cleaned in commercial washing machines.


- Performa 100N is also available with a gritted surface for extra traction.

All Performa™ matting is ideal for connecting large work areas




Optional  
Beveled Edging  
All Performa™ matting  
can be ordered with removable  
yellow edging





- Modular drainage mat with one-sided built-in connectors.
- Nib backing elevates mat above surface for improved drainage.
- Available in a grease-resistant red or general purpose black color.
- Performa Black is also available with a gritted surface for extra traction.

**1 SIDED CONNECTORS**

All Performa mats have built-in connectors that easily join multiple mats together to quickly create large mat areas. Disconnect for easy cleaning.



Performa™ mats are perfect for restaurants, including food prep stations and dishwashing areas



- Modular matting with 2-sided built-in connectors.
- Nib backing elevates mat above surface for improved drainage.
- Performa SD Black is also available with a gritted surface for extra traction.
- Available with black or yellow edging.

**Performa™****5" 8 THICK**

Popular anti-fatigue mat manufactured from a hard wearing rubber compound.

**Recommended Uses:**

Bar, kitchen and food processing areas. Oily and greasy industrial workstations.

**Standard Mat Sizes:**

Nominal	Metric*
3' x 3'	91 x 91 cm

\*Metric based on nominal size

**Colors:**

Black - General Purpose  
Apache Spec. #307



Red - Grease Resistant  
Apache Spec. #308




Black - General Purpose w/ GritTuff™  
Apache Spec. #309

**Beveled Edge Pieces** (optional)

Performa™ and Performa™ SD matting can be ordered with removable black or yellow edging:

3" x 39" edging also sold individually. See price list for details.

**Performa™ SD****5" 8 THICK**

The same great features as Performa but with a solid surface – providing a complete, elevated standing surface.

**Recommended Uses:**

Bar, kitchen and food processing areas. Oily and greasy industrial workstations.

**Standard Mat Sizes:**

Nominal	Metric*
3' x 3'	91 x 91 cm

\*Metric based on nominal size

**Colors:**

Black - General Purpose  
Apache Spec. #315



Black - General Purpose w/ GritTuff™  
Apache Spec. #317

# IndustrialRunners



Diamond Runner

Tuff Foot Runner

CounterTred



## Safety and Comfort

Industrial Runners from Apache are manufactured from hard-wearing compounds made from rubber or vinyl.

Slip-resistant diamond plate or ribbed surface designs provide safety and comfort against cold concrete floors.





Black

Black / Yellow

- Solid 3/16" thick vinyl protects floors reducing maintenance cost.
- Ideal around workbench areas to prevent fragile parts from damaging.
- Flexible 100% vinyl compound resist grease, oil, and common chemicals.

## Diamond Runner

Industrial popular diamond deck plate surface provides incredible traction.

**3"**  
**16**  
THICK

### Recommended Uses:

Aisles and walkways.

### Standard Roll Sizes:


Nominal	Metric*
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

\*Metric based on nominal size

### Custom Sizes:


2', 3' and 4' widths up to 75' length

Apache Spec. #410



Solid Black

### 2 Patterns Available:



- Protects floors reducing maintenance costs.
- Flexible 100% vinyl compound resist grease, oil, and chemicals.
- Available in corrugated or wide rib surface patterns for added safety.

## Tuff Foot Runner

All-purpose vinyl runner matting provides traction and insulation from cold concrete floors.

**1"**  
**8**  
THICK

### Recommended Uses:

Aisles and walkways.

### Standard Roll Sizes:

Nominal	Metric*
2' x 105'	61 x 3200 cm
3' x 105'	91 x 3200 cm
4' x 105'	122 x 3200 cm
6' x 105'	183 x 3200 cm

\*Metric based on nominal size

### Custom Sizes:


2', 3', 4' and 6' widths up to 105' length

Apache Spec. #400



General Purpose Black  
Apache Spec. #340

Grease-Resistant Black  
Apache Spec. #341



Black

- Manufactured with 50% recycled rubber content.
- Multi-directional rib design provides great traction and comfort.
- Available in a black general purpose or a black grease-resistant Nitrile compound.

## CounterTred™

Heavy-duty "Open Slot" rubber drainage mat.

**1"**  
**2**  
THICK

### Recommended Uses:

Welding, heavy assembly, grating and catwalks. CounterTred is ideal for machine shops and production areas where oil and solvents are present.

### Standard Roll Sizes:

Nominal	Metric*
2' x 22'	61 x 671 cm
3' x 22'	91 x 671 cm
4' x 22'	122 x 671 cm

\*Metric based on nominal size

### Custom Sizes:

2', 3' and 4' widths up to 22' length

# Modular Tiles



## Easy to Assemble

Modular tiles and edging lets you create a custom-size mat to fit any workstation or room. Built-in connectors allow for quick assembly.

GridStep's great versatility makes our modular tile matting the ideal choice for many custom-built industrial and recreational applications.

## GridStep™ Two Options Available:

### OPTION 1 Modular Design

- Case of 36 tiles (case lots only)
- Purchase 12" x 12" interlocking tiles by the case. Snap them together to create any size mat
- Optional 2.5" color matching borders
- Special order 6" borders (call for availability)

### OPTION 2 Pre-Assembled Workstations


The ideal choice for industrial commercial environments. The waffle-grid design allows fluid to pass through the tile keeping the surface dry and less slippery.

\*(Grid-Step Solids not available in Option 2)  
\*(with borders on 3 sides)

#### Pre-Assembled Work Cell Sizes\*:

Nominal	Actual	Metric
2.2' x 2.4'	26" x 29"	66 x 74 cm
2.2' x 3.5'	26" x 42"	66 x 107 cm
2.2' x 4.3'	26" x 52"	66 x 132 cm
2.2' x 5.3'	26" x 64"	66 x 163 cm
2.2' x 7.3'	26" x 88"	66 x 224 cm
3.2' x 4.3'	38" x 52"	97 x 132 cm
3.2' x 5.3'	38" x 64"	97 x 163 cm
3.2' x 7.3'	38" x 88"	97 x 224 cm
3.2' x 9.3'	38" x 111"	97 x 282 cm





Standard Black Tile

**Hold-Down Corner Holes**  
Allow screws to be used to secure mats to the floor (not on GridStep™ Solid)

Carbide Grit Surface

## 12" x 12" Modular Tiles

- New softer ergonomic formulation for added comfort.
- Heavy-duty tiles and borders are made from recycled plastics.
- Waffle-grid design allows fluid to pass through, creating a dry floor surface.
- Snaps together to build larger working areas.
- Available with aggressive carbide grit surface for extra safety.
- Tiles sold in two options – (1) 36 pc case pack or (2) pre-assembled work cells.
- For additional border and tile options (including special thicknesses) consult your Customer Service Representative.



**Custom Configurations:**  
Create unique shapes to fit any workspace. Call for details.


### GridStep™ Solid

The same tile composition as GridStep™ but with a solid surface – providing a complete, elevated standing surface.

Available in black only.



**GritTuff™**  
Rugged carbide granules are bonded to the tile surface for outstanding traction



## GridStep™

12" x 12" Modular tiles made from recycled plastics offer drainage and ease of installation. New softer formulation provides added comfort and durability.

### Recommended Uses:

- Oily, greasy work cells.
- Bar and kitchen areas.
- Food processing work cells.
- Pools, locker and shower rooms, playgrounds, and athletic facilities.

"Open Slot" Tile

Apache Spec. #350

"Open Slot" Tile with Grit Tuff™

Apache Spec. #351

Solid Surface Tile

Apache Spec. #352

Solid Surface Tile with Grit Tuff™





Apache Spec. #353

Also available in

## GridStep™ Colors

GridStep™ modular flooring – available in a wide range of decorative colors.

### Colors:



• Call for details on additional colors and matching color borders

• Color tiles available in case quantities or custom configurations only. Not available in pre-assembled workstations.

3" 4 THICK

# Anti-Static & Non-Conductive



ApacheStat  
Soft Foot

Conductive  
Diamond Foot

Conductive  
Diamond Runner

Switchboard  
Diamond Deckplate

Switchboard  
Smooth


Switchboard  
Corrugated



## Comfortably Safe

Apache's Anti-Static matting for sensitive electronic areas is designed to protect operators and components from the effects of static charges.





## 15' Grounding Cord (optional)

- Connects all ESD matting to a building's electrical ground through a snap placed on the corner of the mats.


- One MegaOhm resistor floor mat dome cap



- Ergonomic anti-fatigue mat provides comfort and relief for aching feet and legs.
- RTT –  $10^8 - 10^9$  ohms. RTG –  $10^8 - 10^9$  ohms
- Can easily be cut to fit any work area
- Grounding snap installed on all standard mats.



Conductive Diamond Foot™ matting is perfect for electrically receptive workstations



- Conductive diamond surface removes static electricity from workers and preventing damage to sensitive electronic equipment and systems.
- Durable vinyl surface bonded to resilient anti-fatigue closed-cell vinyl foam with beveled edges.
- RTT –  $10^4 - 10^5$  ohms. RTG –  $10^4 - 10^5$  ohms.
- Snap installed on all standard mats if requested.
- Custom configurations available - call for details.



## ApacheStat™ Soft Foot

Static-dissipative anti-fatigue mat with beveled edges for increased safety.

### Recommended Uses:

Industrial work stations receptive to static electricity.

### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm

### Standard Roll Sizes:

Nominal	Metric*
2' x 60'	61 x 1829 cm
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

\*Metric based on nominal size

### Custom Sizes:

2', 3' and 4' widths up to 60' length

Apache Spec. #500

## Conductive Diamond Foot™

Durable and long lasting static dissipative anti-fatigue matting provides comfort and relief for aching feet and legs.

### Recommended Uses:

Industrial work stations receptive to static electricity.

### Standard Mat Sizes:

Nominal	Metric*
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm

### Standard Roll Sizes:

Nominal	Metric*
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

\*Metric based on nominal size

### Custom Sizes:

3' and 4' widths up to 75' length

### Custom Configurations:

Create unique shapes to fit any workspace. Call for details.

Apache Spec. #600

3" 8 THICK

9" 16 THICK

5"  
32  
THICK

## Conductive Diamond Runner

Durable and long lasting static dissipative matting.

### Recommended Uses:

Industrial work stations receptive to static electricity.

### Standard Roll Sizes: (X)

Nominal	Metric*
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

\*Metric based on nominal size

### Custom Sizes:


3' and 4' widths up to 75' length

Apache Spec. #605

## Anti-Static & Non-Conductive Runners



Black



- Conductive diamond surface removes static electricity from workers and prevents damage to sensitive electronic equipment and systems.

- Durable vinyl surface with slip-resistant diamond pattern.

- RTT –  $10^4 - 10^5$  ohms. RTG –  $10^4 - 10^5$  ohms.

- Upon request, snaps will be installed on all standard mats.

3"  
16  
THICK

## Switchboard Diamond Deckplate

Solid vinyl diamond surface runner provides great traction and safety in high-voltage working environments.

### Recommended Uses:

Industrial work stations and aisles receptive to static electricity.

### Standard Roll Sizes: (X)


Nominal	Metric*
3' x 75'	91 x 2286 cm

\*Metric based on nominal size


### Custom Sizes:

3' widths up to 75' length

Apache Spec. #704



Grey



- Thick vinyl runner protects workers from high voltage equipment.
- Recommended maximum usage – 3,000 volts (VAC).
- Dielectric strength to 30,000 volts (VAC).
- MIL-DTL-15562-G Type 3.






Blue  
(also available  
in black by special order)



- Dielectric strength to 30,000 volts (VAC).
- Recommended maximum usage – 3,000 volts (VAC).
- MIL-DTL-15562-G Type 2.
- Easy to clean.



Black

Black

- Long lasting 1/4" thick construction.
- Protects workers from high voltage equipment.
- Recommended maximum usage – 17,000 volts (VAC).
- Dielectric strength to 30,000 volts (VAC).

## Switchboard Smooth

1"  
8  
THICK

Long lasting, smooth vinyl runner protects workers from high voltage equipment.

### Recommended Uses:

Industrial work stations and aisles receptive to static electricity.

### Standard Roll Sizes:

Nominal	Metric*
3' x 75'	91 x 2286 cm

\*Metric based on nominal size

### Custom Sizes:

3' widths up to 75' length

Apache Spec. #702

## Switchboard Corrugated

1"  
4  
THICK

Extra thick, vinyl runner with corrugated surface for added traction.

### Recommended Uses:

High voltage work cells.

### Standard Roll Sizes:

Nominal	Metric*
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

\*Metric based on nominal size

### Custom Sizes:

2', 3' & 4' widths up to 75' length

Apache Spec. #700

## Specialty Mats

### TackyMat™

Clean room entrance mat effectively removes dirt and debris from shoes.

#### Recommended Uses:


Clean rooms, labs, surgical rooms, and medical offices.

#### Standard Mat Sizes:

Actual	Metric*
18" x 36"	46 x 91 cm
18" x 48"	46 x 122 cm
24" x 36"	61 x 91 cm
24" x 46"	61 x 117 cm
36" x 46"	91 x 117 cm

\*Metric based on nominal size

Apache Spec. #810



Available with White or Blue adhesive

*TackyMat™ has a medium strength adhesive that pulls dirt and debris from shoes*



- TackyMat™ with anti-microbial surface is ideal for labs and medical facilities.
- 30 disposable sheets per mat / 4 mats per case.
- Tacky mat sold without tray.

### KneeSaver™

Kneeling mat reduces knee and lower back pain from prolonged kneeling on hard surfaces.

#### Recommended Uses:

Garage and auto body shops, grating and maintenance areas.

#### Standard Mat Sizes:

Actual	Metric*
14" x 21"	36 x 53 cm

\*Metric based on nominal size



- 1" thick closed-cell Nitrile blend, resilient foam.
- Non-conductive and minimal water absorption.
- Lightweight with built in handle for easy storage and carrying.



Apache Spec. #815





## Accessories

Apache Mills accessory program helps distributors meet the special needs of its matting customers.

For extra assistance, please contact our Customer Service Department.



### Apache Adhesive

- Adhesive for Apache nosing.
- Sold by the quart.

### Non-Skid Backing

- Factory installed non-skid backing can be applied to the back of our mats for added non-skid performance.
- Sold by the square foot.



### Apache Nosing

- Glue onto carpet mats to strengthen edges for high-traffic areas.
- Black, high-quality PVC nosing.
- Sold in 2-pack 50' rolls.

### ApacheLok II

- 1" wide peel and stick tape with interlocking "teeth" helps vinyl matting stay in place on carpet.
- Sold by the linear foot.

### Grounding Snap

- Snap can be added to ESD matting to accommodate Grounding Cord.


### 15' Grounding Cord

- Connects all ESD matting to a building's electrical ground through a snap placed on the corner of the mats.
- One MegaOhm resistor floor mat dome cap.



# Mat Placement Guide

This guide suggests typical mat placement throughout, retail store, office or manufacturing facility. Use this guide to help coordinate your matting needs with your particular facility. The number(s) listed show the best use of each Apache mat.



PRODUCT	USE AREA
<b>INDOOR ENTRANCE</b>	
Montage	1,2,3
Gatekeeper	1,2,3
Absorba	1,2,3
EcoMat Squares	1,2,3
EcoMat Crosshatch	1,2,3
Lustre Twist	2,3,7
Apache Grip	2,3,6,7
Prestige	2,3
Plush Tuff	2,3,6
Standard Tuff	2,3
DuroRib	2,3
Chevron	2,3
Apache Rib	2,3
<b>3-PART SYSTEM</b>	
Brush Loop	1
Brush & Clean	2
Clean Loop	3
<b>LOGO MATS</b>	
In Style	2

PRODUCT	USE AREA
<b>OUTDOOR ENTRANCE</b>	
AquaFlow	1
Trooper	1
Super Grip	1
Looper	1
EcoMat CleanScrape	1
EcoMat Mission	1
<b>INDUSTRIAL DRY</b>	
Supreme Slip Tech	4,9,11,15
Weldmaster	10
Diamond Foot	4,9,11,15
Marble Foot	4,9,11,15
K-Marble Foot	4,9,11,15
K-Marble Foot AMBL	4,9,11,15
Invigorator	4,9,11,15
Armor Step	4,9,11,15
Ergo Flex	4,9,11,15
Bubble Flex	4,9,11,15
Soft Foot	4,9,11,15

PRODUCT	USE AREA
<b>INDUSTRIAL WET</b>	
WorkStep	5,7,8,11
TruTread	5,7,8,11
Performa	5,7,8,11,13
<b>INDUSTRIAL RUNNER</b>	
Diamond Runner	9,11,12,15
Tuff Foot Runner	9,11,12,15
CounterTred	12
<b>MODULAR TILES</b>	
GridStep	5,7,8,11,12,15
<b>ANTI-STATIC &amp; NON-CONDUCTIVE</b>	
ApacheStat Soft Foot	8,15,16
Conductive Diamond Foot	8,15,16
Conductive Diamond Runner	8,15,16
Diamond Deck Plate	8,15,16
Switchboard Smooth	8,15,16
Switchboard Corrugated	8,15,16
<b>OTHER</b>	
Tacky Mat	14



# Chemical Resistance Chart

Use of this chemical chart is meant as a general guide. Results may vary depending on concentration of chemicals.  
Please consult your sales professional for a free sample piece to test your specific chemicals on site to chose proper matting.

Product	Acetic Acid	Acetone	Animal Fats	Brake Fluid	Butyl Alcohol	Chlorine (wet)	Cutting Fluid (water base)	Cutting Fluid (soluble oils)	Diesel Oil	Gasoline	MEK	Mineral Oil	Nitric Acid (dilute)	Sodium Hydroxide	Sulfuric Acid (dilute)	Toluene	Transmission Fluid	Trichloroethane	Vegetable Oil	Xylene
Comfort Zone	4	3	2	4	1	3	2	4	3	3	4	4	4	2	4	4	4	3	4	4
Diamond Foot	3	3	1	4	1	2	2	3	3	3	4	3	3	2	3	4	3	3	2	4
Supreme Diamond Foot	3	3	1	4	1	2	2	3	3	3	4	3	3	2	3	4	3	3	2	4
Ultimate Diamond Foot	3	3	1	4	1	2	2	3	3	3	4	3	3	2	3	4	3	3	2	4
Supreme SlipTech	3	3	2	4	1	2	2	3	3	3	4	3	3	2	3	4	3	3	2	4
WeldMaster	2	3	3	4	1	2	2	3	4	4	4	4	4	2	3	4	4	4	4	4
Marble Foot	3	3	1	4	1	3	2	4	4	4	4	4	4	2	3	4	4	4	4	4
K-Marble Foot	3	3	1	4	1	3	2	4	4	4	4	4	4	2	3	4	4	4	4	4
Ultimate K-Marble Foot	3	3	1	4	1	3	2	4	4	4	4	4	4	2	3	4	4	4	4	4
K-Marble Foot <b>AMBL</b>	3	3	1	4	1	3	2	4	4	4	4	4	4	2	3	4	4	4	4	4
Invigorator	3	3	2	4	1	3	2	3	3	3	4	4	3	2	3	4	3	4	4	4
Armor-Step	3	3	2	4	1	3	2	3	4	3	4	3	2	2	3	4	3	3	2	4
Ergo-Flex	3	3	2	4	1	3	2	3	3	3	4	3	3	2	3	4	4	3	2	4
Bubble-Flex	2	3	4	4	1	3	3	4	4	4	4	4	4	2	4	4	3	4	4	4
Soft Foot	4	3	2	4	1	3	3	4	3	3	4	3	3	2	3	4	3	3	2	4
Safety Soft Foot (with DuraShield)	3	3	2	4	1	2	3	3	3	3	4	3	3	2	3	4	3	3	2	4
Diamond Deluxe Soft Foot	4	3	2	4	1	3	3	4	3	3	4	3	3	2	3	4	3	3	2	4
Supreme Soft Foot	4	3	2	4	1	3	3	4	4	3	4	3	3	2	3	4	3	3	2	4
WorkStep (General Purpose Black)	3	4	3	4	1	4	3	4	4	3	4	4	4	2	4	4	4	4	2	4
WorkStep (Grease-Resistant Red)	2	4	2	4	1	3	2	3	3	2	4	3	4	2	3	4	4	4	3	4
TruTread (Grease-Resistant Black)	3	4	3	4	1	2	3	3	4	3	4	4	4	2	4	4	4	4	4	4
TruTread (Grease-Proof Red)	2	3	2	4	1	2	2	3	3	2	4	3	4	2	3	4	4	4	3	4
Safety TruTread (Grease-Resistant)	3	3	3	4	1	2	3	3	4	2	4	4	4	2	3	4	4	4	4	4
Performa 100N (Grease-Proof)	3	4	2	4	1	2	2	3	2	1	4	3	4	2	4	3	3	3	1	4
Performa (General Purpose Black)	3	4	2	4	1	4	3	4	4	3	4	4	4	2	3	4	4	4	4	4
Performa (Grease Resistant Red)	3	4	3	4	1	3	3	3	3	2	4	3	4	2	3	4	4	4	4	4
Performa SD (Grease-Resistant)	3	4	2	4	1	3	3	3	4	3	4	3	4	2	3	4	4	4	4	4
Diamond Runner	3	3	1	4	1	1	2	3	3	3	4	3	4	2	3	4	3	3	2	4
Tuff Foot Runner	3	3	2	4	1	2	3	4	4	3	4	3	4	2	3	4	3	3	2	4
Counter-Tred	3	3	2	4	1	3	3	3	4	3	4	3	4	2	3	4	3	3	2	4
Grid Step	3	3	2	4	1	2	2	3	3	3	4	3	4	2	3	4	3	3	2	4
Apache Stat Soft Foot	4	3	2	4	1	3	4	4	4	3	4	3	4	2	3	4	3	3	2	4
Conductive Diamond Foot	3	3	1	4	1	3	3	3	3	3	4	3	3	2	3	4	3	3	2	4
Conductive Diamond Runner	3	3	1	4	1	3	3	4	3	3	4	3	3	2	3	4	3	3	2	4
Switchboard Diamond Deckplate	3	3	1	4	1	3	3	4	3	3	4	3	3	2	3	4	3	3	2	4
Switchboard Smooth	3	3	1	4	1	3	3	4	3	3	4	3	3	2	3	4	3	3	2	4
Switchboard Corrugated	3	3	1	4	1	3	3	4	3	3	4	4	3	2	3	4	3	3	2	4
AquaFlow	3	4	3	4	1	4	3	4	4	4	4	4	4	2	4	4	4	4	4	4
Super Grip	3	4	3	4	1	4	4	4	4	4	4	4	4	2	4	4	4	4	4	4
Trooper	3	4	3	4	1	4	4	4	4	4	4	4	4	2	4	4	4	4	4	4

Rating for the following spec # 801, 220, 210, 215, 230 ,211, 235, 240, 242, 243, and 600 are for chemical exposure to top surface only.

**KEY:** 1 = No Effect 2 = Little Effect 3 = Moderate Effect 4 = Not Recommended



197 Royal Drive, Calhoun, GA 30701 / Mailing Address: P.O. Box 907, Calhoun, GA 30703  
Tel. 706.629.7791 / Toll Free: 800.456.7791 / Toll Free Fax: 800.477.4927 [www.apachemills.com](http://www.apachemills.com)

