

**2000**  
Celebrating 10 Years!  
**2010**

*Beginning our 2nd decade of supplying quality  
and innovative products to the industry.*

# MARSH®

Marsh Shipping Supply Co., LLC

## PRODUCT GUIDE



# INDEX

<b>STENCILING</b>	<b>4-12</b>
MARSH MANUAL STENCIL MACHINES	4
SE100 STENCIL EXPRESS	5-6
SUPER SIZE STENCIL MACHINE	7
OIL BOARD	8
INDUSTRIAL SPRAYS	9
ROLLERS AND BRUSHES	9-10
ROLMARK EXPRESS	10
ROLMARK PAD & ROLLER SYSTEM	11
EFI STENCIL INK	11
STENCIL INKS	11-12
 <b>TAPING</b>	 <b>13-16</b>
MARSH TAPE MACHINES	13
TDE ELECTRIC TAPER	14
TDH HAND TAPER	15
PRESSURE SENSITIVE TAPERS	15-16
 <b>CODING</b>	 <b>17-19</b>
ROLLER CODERS	17
CONVEYOR LINE PRINTERS	
POROUS	17
NON-POROUS	18
MINI CODERS	
POROUS	17
NON-POROUS	18
HAND PRINTERS	
POROUS	17
NON-POROUS	18
CODER ACCESSORIES	19
CODER INKS	19
 <b>MARKING &amp; INK</b>	 <b>20</b>
CONTACT MARKING	20-21
INK SELECTION CHART	22
MARKERS	23
INK INFORMATION CHARTS	24-25

**NO MATTER WHAT COLOR YOU CHOOSE –  
IT'S THE "GREEN" CHOICE!**



**efi**

STENCIL INK





# STENCILING

## STENCIL MACHINES

Marsh Hand Operated Stencil Machines – When it comes to stenciling product identification, shipping information, or other valuable information that requires a clear, long-lasting permanent legible mark, Marsh stenciling products stand up to the task. Combine the stencil machine along with the superb quality oilboard, inks, and applicators, and you can be sure you have a “system” that will meet your coding needs.



### FEATURES:

- Punch and Die – case hardened dies have wear resistant cutting edges. Alloy punch is stronger, lasts longer than steel. Fits closer, cuts cleaner and is more corrosion resistant.
- Aluminum Rotating Parts – lightweight for faster, smoother operation
- Clean Hand Wheel – no spokes or lugs to interfere with hand
- Durable Finish – baked on powder coat industrial black finish
- Sealed-In Lubrication – parts rotating on center spindle “ride on oil” from impregnated felt rings in base of machine
- Large Dial – easy to read
- Word Space Button and Release Lever and Button – for quicker, neater, easier stencil cutting
- Accurate Spacing – simple cam and ratchet spaces automatically
- Quick, Shock-Free Centering – makes character selection smoother and easier
- Rubber Base Mounts – smooth, soft feel to cutting operation
- Lubricated Punch Shanks – felt rings impregnated with oil, on all 40 punch shanks, provide years of self-lubrication and reduce operating sound
- 18 month limited warranty

### SPECIFICATIONS

#### Hand Operated Stencil Machines

MODELS	SIZE CUT	LINES	NET WT.	GROSS WT.
R	1" 25 mm	4	64 lbs. 30 kilos	71 lbs. 34 kilos
R-5	1" 25 mm	5	64 lbs. 30 kilos	71 lbs. 34 kilos
S	3/4" 19 mm	4	47 lbs. 21 kilos	53 lbs. 24 kilos
H	1/2" 13 mm	6	47 lbs. 21 kilos	53 lbs. 24 kilos
Q	1/4" 6.5 mm	10	47 lbs. 21 kilos	53 lbs. 24 kilos

#### Dimensions: (Largest Package Dimension)

26" long x 20" high x 13" wide

(66.7 cm long x 51.3 cm high x 33.3 cm wide)

Special character punch and dies can be individually quoted.

API logo available.

Spanish ñ characters available.

# A13

#### 1" Model "R"

Cuts this size stencil  
4 lines, any length  
14 characters per foot

# A13

#### 3/4" Model "S"

Cuts this size stencil  
4 lines, any length  
16 characters per foot

# A13C

#### 1/2" Model "H"

Cuts this size stencil  
6 lines, any length  
23 characters per foot

# A13CDEFF

#### 1/4" Model "Q"

Cuts this size stencil  
10 lines, any length  
43 characters per foot



# STENCIL EXPRESS



The Marsh Stencil Express is an electronic stencil cutting system that is computer driven with state of the art software designed specifically to meet your customers varied stenciling requirements. The software program is designed to run directly from your existing PC and does not require a stand alone dedicated PC system. All that is required for the software is one of the following programs: Windows 95, 98, ME, 2000, XP, Vista, Windows 7.

With the Marsh Stencil Express system you can cut .011 oilboard, polyethylene, sandblast, stencil mask, vinyl, magnetic and others.

Unlike other systems on the market, the easy to use software program will allow you to start cutting a variety of styles and sizes of stencils in a matter of minutes without the need of lengthy, specialized training.

**System Includes:** 24" cutter, stencil and decal software and manual, cables, 1 – 45 deg. blade, and table top mounting brackets and cradle. Optional stand is available.

## SOFTWARE FEATURES:

- Multiple line cutting
- Left, center, or Right Justification
- Rotating Text (Cuts in Any Direction)
- Space adjustment between characters
- Cuts stencils in arc format
- Save/Name stencil files
- Runs directly from your existing PC not requiring a stand alone dedicated PC system
- Works with Windows 95, 98, ME, 200, XP, Vista, Windows 7
- Over 48 Stencil, Military Font, and 19 International Caution Marking Symbols

## HARDWARE FEATURES:

- Heavy duty cutting bed
- Uses up to 24" wide cutting material. Most material comes in rolls and mounts on the machine cradle for easy unwind during the cutting process.
- Knife force up to 500 grams
- Digital servo drive
- Repeat function and easy to use keypad, includes test cut feature, adjustable dial for calibrating the blade cutting force and speed. Repeat job button and start/stop button.
- Easily replaceable blades
- 110 or 220 volt power supply (auto sensing)
- Combination of flawless cutting and heavy downforce allows this equipment to cut vinyl, polyethylene, mylar, magnetic, sandblast material and also .011 oilboard.
- System has a self healing blade cutting strip that protects the blade when cutting materials without backings like oilboard. Much better than teflon tape.
- One meg. buffer which allows for large files
- Cutting speed up to 41 ips.
- Large 29" cutting area

## SPECIFICATIONS:

### SE100 Stencil Express Cutting System

Shipping Weight: 50 lbs (22.7 kilos)

Dimensions: 43"L x 13 1/4"W x 16 1/4"H

Counter Space Required: 39"Length; 17"Depth

### SE101 Express-Cut (polyethylene)

Shipping Weight: 14 lbs (6.4 kilos)

Dimensions: 24.5"L x 6"W x 6"H

### OB11-44-RL-24 Oilboard

Shipping Weight: 14 lbs (6.4 kilos)

Dimensions: 24.5"L x 6"W x 6"H



*Using Stencil Express makes standard and special applications quick and easy.*



*Remember to order the Marsh Stencil Applicators when ordering your Stencil Express.*

*Both standard Marsh Fountain Brushes and Rollers along with our new Rolmark Express are available from your local Marsh distributor. Use Marsh brand stencil inks to insure a good mark.*

## 2 YEAR WARRANTY

*Note: Don't forget to order Ink and Applicators to complete the "Stenciling System"*

# STENCILING

## SE100 STENCIL EXPRESS SYSTEM

The SE100 Stencil Cutting System is used in many industrial settings to cut stencils that range from 1/4" text to 23" text or larger. The many industries include Aerospace, Crating, Automotive, Precast, Manufacturing, Steel, Pipe, Welding, and the Worldwide Armed Forces.

### Working with SE100 Software...

After the software program is loaded on to the computer and all functions are working:

- Double click the software icon on your computer desktop & the work area screen will open
- Click on the T on the tool bar located at the right of your screen, this will open the text box.
- Type in your text and Click OK, your text will now be on the screen. If you need to edit your text, such as changing the size, simply click on the T again.
- Go to the top of the screen and click OUTPUT. Once the box opens, go to the lower left side and choose the border size you want around your stencil to protect from overspray and then click OUTPUT LINES. Your stencil is now being cut.



































After you have had some time to practice, this will be as natural as using a manual Stencil Machine. There are many stencil fonts and even 55 of the most popular sign fonts for vinyl signs. The Stencil Express software has the stencil fonts and sign fonts separated so you don't spend a lot of time looking for the font you want. Other fonts can also be added to the software if needed.

### WEED BORDER FOR CUTTING OILBOARD

We have a new weed border (around the text) just for oilboard. It cuts out a perforated border around the text. This keeps the cut stencil in place until you are done cutting. Using the weed border will allow you to use the full width of the oilboard, which means far less wasted space. A great new money saving feature!!!

### SE100 FONT SAMPLES & INTERNATIONAL SYMBOLS

<b>Stencil Gothic Bold Font</b> ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
<b>Stencil Font</b> ABCDEFGHIJKLMNOPQRSTUVWXYZ
<b>Stencila Font</b> ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
<b>Stencil Phantom Font</b> ABCDEFGHIJKLMNOPQRSTUVWXYZ
<b>MK Stencil Font</b> ABCDEFGHIJKLMNOPQRSTUVWXYZ
<b>Stencil Sans Font</b> ABCDEFGHIJKLMNOPQRSTUVWXYZ

						
IS-01	IS-02	IS-03	IS-04	IS-05	IS-06	IS-07
						
IS-08	IS-09	IS-10	IS-11	IS-12	IS-13	IS-14
						
IS-15	IS-16	IS-17	IS-18	IS-19	IS-20	IS-21
						
IS-22	IS-23	IS-24	IS-25	IS-26	IS-27	IS-28
						
IS-29	IS-30	IS-31	IS-32	IS-33	IS-34	IS-35

### ITEM CODE

SE100 Stencil Cutter  
 SE101 Express-Cut  
 SE102 45 deg. Blade  
 SE103 60 deg. Blade  
 SE104 Cutter Stand  
 OB11-44-RL-24

### DESCRIPTION

Stencil Express Cutting System  
 Polyethylene Film, .008 white, 24"x100'-Roll  
 Blade, 45 deg., use w/ Express-Cut™  
 Optional Blade for Oilboard  
 Optional Stand for Cutting System  
 Oilboard, Nat. 11pt, 24"x100'-Roll



## SUPER SIZE STENCIL MACHINE

### FEATURES:

- Fast! Cuts a complete stencil in one turn of the handle! – Duplicates stencils! Even faster!
- Produces large, bold, easily read marks on oversize crates, equipment and signs.
- Economical – can have character dies in multiple character sizes on the same stencil.
- Characters range in sizes from 1/4" to 10" (20MM to 250MM) Even freight marking symbols!
- Over 20 sizes available, includes U.S. and Metric sizes to choose from.
- Don't forget to buy ink, oilboard, and applicators!



### SUPER SIZE CHARACTER SETS

Three to ten inch type is available in a font set of 79 pieces. Types in sizes 1/4" to 2" is available in a font set of 111 pieces. The chart below shows how many of each characters are included in the font sets. Also – individual dies can be special ordered – contact your local Marsh distributor.

#### 79 pc set

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
3	1	2	2	3	2	2	1	3	1	1	2	2	2	3	2	1	3	3	2	2	2	1	1	1	1
1	2	3	4	5	6	7	8	9	0	.	°	-	&	/	%										
2	2	2	2	2	2	2	2	2	2	4	1	2	1	1	1										

#### 111 pc set

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
4	2	3	3	6	3	3	2	5	2	3	4	3	4	4	3	2	5	6	4	3	3	1	1	1	1
1	2	3	4	5	6	7	8	9	0	.	°	-	&	/	%										
2	2	2	2	2	2	2	2	2	2	4	1	2	1	1	1										

### ITEM CODE

SS  
SS1IN  
SS2IN  
SS3IN  
SS4IN

### DESCRIPTION

Super Size Table and Cylinder  
1" type, 111 pieces  
2" type, 111 pieces  
3" type, 79 pieces  
4" type, 79 pieces

*Other sizes also available.*

*Metric sizes available upon request.*

*Individual characters available.*

SS-BLANKET  
SS-MLR600MM-SET  
SS-MLW1530-SET  
SS-MLW3050-SET

Super Size Cutting Board  
Magnetic Lining Rules  
Small Magnetic Lining Wedge  
Large Magnetic Lining Wedge

# STENCILING



## OILBOARD

In addition to superior stencil machines, Marsh Shipping Supply Co., LLC offers exceptionally high-quality oil treated paper board. Marsh oilboard is cured in a plant that is solely dedicated to the production of superior grade oilboard. Marsh oilboard is treated with a special blend of double-boiled linseed oils to resist ink bleed-through. After treatment with the oil, the board is cut with the grain in order to further strengthen its rigidity. This whole process provides you with clean, sharp marks with your stenciling system (stencil machine, ink, applicator, oilboard). Further, the high absorption of oil in the board, self-lubricates the punches of your stencil machine to extend the life of the machine.

### FEATURES:



- Specially formulated to resist ink bleed-through
- Fine grade oilboard will not tear or pull when cut – saves you time and money
- The largest selection of standard sizes available for all types of stencil machines
- Available in .015", .011" and .007" thickness in natural colored board
- Canary oilboard is premium grade – finer fibers produce extremely clean-cut characters. Available in .015 thickness

Character:	1/4"	1/2"	3/4"	1"
Height:	6.35mm	12.7mm	19mm	25.4mm
# of lines to be cut	Height of Stencil Board			
1	4.0"	4.0"	4.0"	4.0"
2	4.0"	4.0"	4.0"	5.0"
3	4.0"	4.0"	5.0"	6.0"
4	4.0"	5.0"	6.5"	7.0"
5	4.0"	6.0"	--	8.0"
6	5.0"	6.5"	--	--

Natural Item Code	Canary Item Code	Size	Carton Size	Approx. Sheets per carton
OB15-3X24-50	OBC15-3X24-50	3 x 24	50 lb	1267
OB15-3X36-50	OBC15-3X36-50	3 x 36	50 lb	833
OB15-4X12-50	OBC15-4X12-50	4 x 12	50 lb	1864
OB15-4X16-50	OBC15-4X16-50	4 x 16	50 lb	1432
OB15-4X20-50	OBC15-4X20-50	4 x 20	50 lb	1143
OB15-4X24-50	OBC15-4X24-50	4 x 24	50 lb	932
OB15-4X26-50	OBC15-4X26-50	4 x 26	50 lb	853
OB15-4X30-50	OBC15-4X30-50	4 x 30	50 lb	739
OB15-4X36-50	OBC15-4X36-50	4 x 36	50 lb	625
OB15-4X48-50	OBC15-4X48-50	4 x 48	50 lb	460
OB15-4.5X16-50	OBC15-4.5X16-50	4.5 x 16	50 lb	1273
OB15-4.5X20-50	OBC15-4.5X20-50	4.5 x 20	50 lb	1016
OB15-4.5X48-50	OBC15-4.5X48-50	4.5 x 48	50 lb	409
OB15-5X12-50	OBC15-5X12-50	5 x 12	50 lb	1491
OB15-5X16-50	OBC15-5X16-50	5 x 16	50 lb	1145
OB15-5X20-50	OBC15-5X20-50	5 x 20	50 lb	914
OB15-5X24-50	OBC15-5X24-50	5 x 24	50 lb	745
OB15-6X12-50	OBC15-6X12-50	6 x 12	50 lb	1267
OB15-6X16-50	OBC15-6X16-50	6 x 16	50 lb	954
OB15-6X18-50	OBC15-6X18-50	6 x 18	50 lb	833
OB15-6X20-50	OBC15-6X20-50	6 x 20	50 lb	762
OB15-6X24-50	OBC15-6X24-50	6 x 24	50 lb	633
OB15-6X36-50	OBC15-6X36-50	6 x 36	50 lb	417
OB15-6.5X20-50	OBC15-6.5X20-50	6.5 x 20	50 lb	703
OB15-6.5X24-50	OBC15-6.5X24-50	6.5 x 24	50 lb	585
OB15-7X12-50	OBC15-7X12-50	7 x 12	50 lb	1098
OB15-7X20-50	OBC15-7X20-50	7 x 20	50 lb	653
OB15-7X24-50	OBC15-7X24-50	7 x 24	50 lb	549
OB15-7.5X24-50	OBC15-7.5X24-50	7.5 x 24	50 lb	512
OB15-7.5X30-50	OBC15-7.5X30-50	7.5 x 30	50 lb	394
OB15-7.5X32-50	OBC15-7.5X32-50	7.5 x 32	50 lb	369
OB15-8X20-50	OBC15-8X20-50	8 x 20	50 lb	559
OB15-8X24-50	OBC15-8X24-50	8 x 24	50 lb	480
OB15-8X36-50	OBC15-8X36-50	8 x 36	50 lb	312
OB15-11X24-50	OBC15-11X24-50	11 x 24	50 lb	345
OB15-11X36-50	OBC15-11X36-50	11 x 36	50 lb	230
OB15-11.5X36-50	OBC15-11.5X36-50	11.5 x 36	50 lb	220
OB15-12X36-50	OBC15-12X36-50	12 x 36	50 lb	208
OB15-12X48-50	OBC15-12X48-50	12 x 48	50 lb	153
OB15-20X24-50	OBC15-20X24-50	20 x 24	50 lb	186
OB15-20X32-50	OBC15-20X32-50	20 x 32	50 lb	139
OB15-24X36-50	OBC15-24X36-50	24 x 36	50 lb	104
OB15-24X48-50	OBC15-24X48-50	24 x 48	50 lb	77
OB15-11X24-CS	OBC15-11X24-CS	11x 24	100 lb	695
OB15-11X36-CS	OBC15-11X36-CS	11 x 36	100 lb	468
OB15-20X24-CS	OBC15-20X24-CS	20 x 24	100 lb	382
OB15-20X32-CS	OBC15-20X32-CS	20 x 32	100 lb	286
OB15-24X36-CS	OBC15-24X36-CS	24 x 36	100 lb	210
OB15-24X48-CS	OBC15-24X48-CS	24 x 48	100 lb	159

Standard Sizes  
.015" Thickness – Recommended for 1", 3/4", 1/2" machines

Other special cut sizes and rolls available.  
Please call for pricing and availability.

Lightweight, .007" or .011" Thickness – must use with 1/4" machines

All of the sizes indicated above are also available in .007 and .011 thickness. Item codes for .007 are prefaced with OB7. Item Codes for .011 are prefaced with OB11. .007 and .011 is not available in canary.



## INDUSTRIAL SPRAY PRODUCTS

### SPRAY INKS

- Spray Stencil Inks are useful for permanent, waterproof, fast-drying bold marks on any surface. Marsh Spray Inks are lead free, CFC and CFHC-Free. All inks formulations comply with CONEG legislation.
- Standard Highly Visible Colors: Black, Blue, Green, Orange, Red, White and Yellow
- Packed in 14 fluid ounce (414 cm) cans – Net weight 11 oz (.31 kg)
- Black, White, Red and Yellow Meet Government performance requirement for specification CID A-A-208B. Contact Marsh Regarding Color Specifications.



### SPRAY MARK OVER, TAN

- Tan Spray Mark Over sprays on any surface to cover old marks and re-use cartons. This fast drying, permanent, waterproof mark over will provide maximum coverage with minimum spray mist and running.
- Packed in 14 fluid ounce (414 cm) cans – Net weight 11 oz (.31 kg)



### SPRAY ADHESIVE

- All purpose, no mess, high contact spray adhesive that forms a permanent bond on most materials.
- Packed in 21 fluid ounce (621 cm) cans – Net Weight 14 oz (.4 kgs)

### SPRAY SILICONE

- Food grade spray waterproofs, prevents rust, and stops squeaks. Use Spray Silicone to lubricate and reduce friction on moving parts and to prevent build-up of glues, inks, dirt, and wax.
- Net Weight 10 oz (.28 kg)

#### ITEM CODE

#### DESCRIPTION

30394	Spray Mark Over, Tan
30395	Spray Stencil Ink, Black
30396	Spray Stencil Ink, Blue
30397	Spray Stencil Ink, Green
30398	Spray Stencil Ink, Orange
30399	Spray Stencil Ink, Red
30400	Spray Stencil Ink, White
30401	Spray Stencil Ink, Yellow
20645	Spray, Silicone
26036	Spray, Adhesive

## STENCIL PRODUCTS

### FOUNTAIN ROLLERS

- The pump action of Marsh Fountain Rollers give you fast, uniform ink dispensing without fading or flooding.
- Rolmark Fountain Roller – Use RFR200 in 1 1/2" (3.8 cm) and 3" (7.5 cm) sizes on porous or non-porous surfaces with Marsh Rolmark and Poly Rolmark Inks.
- Fountain Roller – Use FR100 in 1 1/2" (3.8cm) and 3" (7.5 cm) sizes on porous surfaces only with Marsh K Ink.

#### FEATURES:

- Durable aluminum and brass construction for tough environments.
- Long wearing neoprene roller.
- Environmentally friendly – refill from Marsh quart or gallon ink cans and reduce packaging waste.
- Replacement rollers available.



# STENCILING

## FOUNTAIN BRUSH

The Marsh Fountain Brush ensures solid stencil coverage and strong clear marks. Great for uneven surfaces, such as crates, or concrete.

### FEATURES:

- No-mess operation – ink refill is at the handle end of the brush.
- Extend product life with replaceable brush tips.
- Use brushes for porous and non-porous applications with the appropriate ink.
- Includes polypropylene cap to protect bristles.
- Use with K or Rolmark ink.

### ITEM CODE

### DESCRIPTION

RFR200-15	Fountain Roller 1 1/2", Qt. Black Rolmark Ink,
RFR200-15-ONLY	Fountain Roller 1 1/2" NO Ink
RFR200-30	Fountain Roller 3", Qt. Black Rolmark Ink (split roller)
RFR200F-30	Fountain Roller 3", Qt. Black Rolmark Ink (full roller)
RFR200-30-ONLY	Fountain Roller 3" NO Ink (split roller)
RFR200F-30-ONLY	Fountain Roller 3" NO Ink (full roller)
FR100-15	Fountain Roller 1 1/2", Qt. Black K Ink
FR100-30	Fountain Roller 3", Qt. Black K Ink (split roller)
FR100F-30	Fountain Roller 3", Qt. Black K Ink (full roller)
FR100-30-ONLY	Fountain Roller 3" NO Ink (split roller)
30867	Roller, Replacement 1 1/2"
30866	Roller, Replacement 3" (split roller)
RFR250F-30	Roller, Replacement 3" (full roller)
30322	Fountain Brush with Cover
30142	Brush Tip Replacement



## ROLMARK EXPRESS

- Designed to be a quick, easy to use tool. Offers the convenience of quickly changing ink cartridges, minimizing potential ink mess, and most importantly production down time.
- The Rolmark Express all metal, disposable ink cartridge becomes the strong, durable handle once it is screwed on the spindle roller assembly. Utilizes the same 3" split neoprene roll that is used with standard fountain rollers.
- Cartridges contain 4 ounces of ink and are sold 8 per carton.

### ITEM CODE

### DESCRIPTION

33575	Roller, 3" Rolmark Express
33564	Ink, Cartridge 8 Pk Rolmark Exp Black
33565	Ink, Cartridge 8 Pk Rolmark Exp White
33566	Ink, Cartridge 8 Pk Rolmark Exp Red
33567	Ink, Cartridge 8 Pk Rolmark Exp Yellow



## ROLMARK PAD & ROLLER SYSTEM

- Rollers available in 1 1/2" (3.8 cm), 3" (7.5 cm), and 4 1/2" (11.3 cm)
- Inexpensive stenciling system
- Uses Rolmark Ink on porous and non-porous surfaces for occasional stenciling.
- Units sold separately.

ITEM CODE	DESCRIPTION
RM20-15	Roller, 1 1/2"
RM20-30	Roller, 3" (split roller)
RM20-30F	Roller, 3" (full roller)
RM20-45	Roller, 4 1/2"
RM10-15	Replacement Roller, 1 1/2"
RM10-30	Replacement Roller, 3"(split roller)
RM10-30F	Replacement Roller, 3" (full roller)
RM10-45	Replacement Roller, 4 1/2"
RM50	Rolmark Ink Pad



## STENCIL INKS

All Marsh ink has been specially formulated to meet the most stringent quality control standards. Permanent, waterproof, light-resistant, fast-drying – Marsh provides high quality inks for all applications. Deciding to purchase Marsh inks ensures you will always make clear readable marks. Trying to decide which ink is best for your application? See the ink selection charts beginning on Page 24.

## EFI STENCIL INK

The **efi Stenciling System** provides crisp, clear marks on a wide variety of porous and non-porous surfaces. The stencil marks are fast drying, permanent, as well as fade and sunlight resistant. Best of all, since the inks have an ultra-low VOC content, they are more environmentally safe to the operator applying the markings and to the atmosphere. The inks are water soluble and only require soap and water for clean-up. (No separate solvents required!) Since our new efi inks are also non-flammable; they are safer to use and easier to ship than most other stencil inks.

### efi Stencil Applicator System

The new Marsh efi stenciling system offers you a portable and convenient method of stenciling on both porous and non-porous surfaces. The recommended use of the efi ink is with the applicator that has been specifically designed for efi ink. However, efi ink can also be applied with the RM20 roller and RM50 pad system.



ITEM CODE	DESCRIPTION
70150	1.5" efi applicator
70300	3" efi applicator
RM10-15	Roller, Replacement 1.5"
RM10-30F	Roller, Replacement 3"
70987	efi Ink, 4oz. Black (12/ctn)
70903	efi Ink, Qt, Black (12/ctn)
70998	efi Ink, 4oz. White (12/ctn)
70923	efi Ink, Qt, White (12/ctn)
70891	efi Ink, 4oz. Red (12/ctn)
70909	efi Ink, Qt, Red (12/ctn)
70900	efi Ink, 4oz. Yellow (12/ctn)
70926	efi Ink, Qt, Yellow (12/ctn)

All colors meet performance specs of CID A-A-208B.  
Contact Marsh regarding color specifications.



# STENCILING



## K STENCIL INK

Permanent, waterproof, fast-drying, for marking on porous surfaces such as paper, cloth, wood, corrugated material, etc. Use K Stencil Ink with the following products:

- FR100 Fountain Roller
- Fountain Brush
- M99 Marker
- Spray Gun
- Use Marsh K-Solvent for clean-up
- Available in Black and Red



### ITEM CODE

K-BK-Q  
K-BK-G  
K-BK-G50  
K-R-Q  
K-R-G  
K-SOL-Q  
K-SOL-G

### DESCRIPTION

Ink, K Stencil, Black, Quart  
Ink, K Stencil, Black, Gallon  
Ink, K Stencil, Black, 50 Gallon  
Ink, K Stencil, Red, Quart  
Ink, K Stencil, Red, Gallon  
Solvent, K Stencil, Quart  
Solvent, K Stencil, Gallon

## ROLMARK STENCIL INK

Waterproof, permanent, and fast-drying on most surfaces; marks on porous or non-porous surface. Rolmark stencil ink can be used with any of the following products:

- RFR200 Fountain Roller
- Fountain Brush
- RM20 Roller with RM50 Pad
- Spray Gun
- Use Marsh Rolmark Solvent Cleaner for clean-up
- Available colors are Black, Blue, Green, Orange, Red, White, Yellow, Brown, Bright Blue
- Black, Red, White and Yellow meet performance specs of CID A-A-208B. Call Marsh regarding color specifications
- Also available by special order in Violet, Pink, and other custom colors.



### ITEM CODE

20903  
20887  
20929  
20908  
20889  
20919  
20917  
20895  
20911  
20893  
20915  
20894  
20909  
20891  
20923  
20898  
20941  
20926  
20900  
20958  
20964  
20966  
RMS-Q  
RMS-G

### DESCRIPTION

Ink, Rolmark, Black, Quart  
Ink, Rolmark, Black, Gallon  
Ink, Rolmark, Black, 50 Gallon  
Ink, Rolmark, Blue, Quart  
Ink, Rolmark, Blue, Gallon  
Ink, Rolmark, Bright Blue, Quart  
Ink, Rolmark, Brown, Quart  
Ink, Rolmark, Brown, Gallon  
Ink, Rolmark, Green, Quart  
Ink, Rolmark, Green, Gallon  
Ink, Rolmark, Orange, Quart  
Ink, Rolmark, Orange, Gallon  
Ink, Rolmark, Red, Quart  
Ink, Rolmark, Red, Gallon  
Ink, Rolmark, White, Quart  
Ink, Rolmark, White, Gallon  
Ink, Rolmark, White, 50 Gallon  
Ink, Rolmark, Yellow, Quart  
Ink, Rolmark, Yellow, Gallon  
Ink, Poly Rolmark, Black, Quart  
Ink, Poly Rolmark, Red, Quart  
Ink, Poly Rolmark, White, Quart  
Solvent, Rolmark, Quart  
Solvent, Rolmark, Gallon

## POLY ROLMARK STENCIL INK

Specially formulated for marking polyethylene and plastics such as shrink film and plastic wrap. Poly Rolmark roller stencil ink can be used with the following products:

- RFR200 Fountain Roller
- Fountain Brush
- RM20 Roller with RM50 Pad
- Spray Gun
- Available in Black and White quart containers only.  
Red available with minimum order of 48 quarts.

## W-15 WATER BASE, TAN MARK OVER

W-15 mark over ink obliterates old marks on tan colored porous surfaces. Fast-drying, permanent, waterproof – marks on any surface. Use with the following products:

- Standard paint brush
- Paint Roller
- Spray Gun
- For W-15 clean-up, use water



### ITEM CODE

W15-T-G

### DESCRIPTION

W-15 Tan Mark Over,  
Gallon (water base)

# TAPING WATER ACTIVATED TAPE



Feeling a little insecure about your current carton closure system?  
Do you want to be sure your valuable goods arrive safely and intact at the final destination?  
You bet you do!

Marsh Tape Machines can provide the security you are looking for by dispensing gummed tape quickly and efficiently. All Marsh Tape Machines measure, dispense, moisten, and cut the tape in a variety of lengths. Marsh Tapers and water activated tape provide not only the most secure carton closure, but also a tamper-evident, completely recyclable seal.

Marsh Tape Machines have over 50 years of proven reliability in the tape machine industry worldwide.

The Marsh TD2100 Tape Machines are available in several different models. One of these models will certainly address your packaging requirements. Each model offers a variety of features to meet your needs, but all models provide the following standard features –

- ALL METAL UNI-BODY CHASSIS CONSTRUCTION.
- LONG LASTING, HIGH STRENGTH PBT ENCLOSURE
- LARGEST WATER BOTTLE IN THE INDUSTRY!  
70 ounce bottle increases production “up-time” with fewer refills
- BUILT-IN, ALL METAL ADJUSTABLE TAPE GUIDES  
Maintains tape roll for smooth tape flow and accurate cutting and less jamming.
- “APEX” DESIGN GUILLOTINE STYLE CUTTER  
420HC stainless steel, provides long life and requires little adjustment.
- HOT PLATE STYLE HEATER KEEPS  
WATER WARM for better moistening and adherence of tape. DESIGNED NOT TO EXCEED RECOGNIZED SAFETY STANDARDS.
- 1,000 FOOT ROLL TAPE CAPACITY
- LIMITED 18 MONTH WARRANTY
- **WITH THE LARGEST WATER BOTTLE AND LARGEST TAPE ROLL CAPACITY IN THE INDUSTRY - KEEP YOUR DOWNTIME TO A MINIMUM**



**BEAUTY ON THE OUTSIDE...**

**BEAST ON THE INSIDE.**

Heavy gauge steel and unibody chassis provides the structural strength of the machine and precision mounting points for all stationary and moveable components.



# TAPING WATER ACTIVATED TAPE

## TD2100 ELECTRIC TAPER

Marsh TD2100 Electric – seal your carton effectively and efficiently!

The Marsh TD2100 Electric Tape Dispenser and water activated tape are the perfect match for a tamper evident, recyclable seal. The state-of-the-art, electronically driven, TD2100 Electric tape dispenser was designed with ease of operation and dependability in mind. TD2100 Electric has the same Marsh quality known for decades in the tape machine industry.



The TD2100 Electric is available in 3 models to meet your specific carton closure needs – standard, premium short, and premium long. All models feature a tactile keypad with programmable repeat keys for short and long tape lengths. Ideal for sealing same size cartons! Random/Continuous feature built in, LCD display of programmed lengths.

Standard model has 20 pre-set selectable lengths with use of the shift key.

Premium models not only offer 10 pre-set selectable lengths, but with the use of the “num lock” key provides option to input custom lengths ranging from 5” to 99” in 1 inch increments.

Options include a tape coder that prints text, logos, date codes, etc., in one easy operation, and 2-selection foot pedal.

### SPECIFICATIONS:

- Tape – paper or reinforced gummed tape – up to 1,000 foot (304.8m) long roll  
Maximum roll diameter – 9” (22.26 cm)
- Tape Widths Accepted – 1 inch (2.5cm) to 3 inch (7.6cm)
- Tape Lengths Dispensed – 5 inch (12.7cm) to 90 inch (228cm) - continuous feed feature for longer lengths
- Water Bottle – 70 ounces (2.07 liters)
- Shipping Weight – 35 lbs (15.9 kgs)
- Dimensions – 18.9” L x 10.5” W x 13.7” H  
(48 cm L x 26.6 cm W x 34.8 cm H)
- Electrical – 110/120 volts 50/60 hertz, 4 amps; or  
220/240 volts 50/60 hertz, 2 amps  
Power Cord – 7 feet (2.3m)

### FEATURES:

- TD2100 Microprocessor designed for fast, efficient operation – eliminates unnecessary tape waste – dispenses tape 3’ (91cm) per second
- Superior Moistening System – constant hot water and the flow through brush system activates the glue quickly and evenly the whole length of the tape. This method is far superior to applying heat from the top and through the insulated tape.
- Portable – the TD2100 is lightweight, yet strong enough to move to other work areas when needed.
- Durable – all components, inside and out, are proven to last even in some of the most harsh environments. Electronic components are designed for maintenance free operation.
- Quality Engineered – conforms to ANSI/UL Std.60950-1, Certified to CAN/CSA C22.2 no. 60950-1-03, CE certified to standard IEC/EN 60950-1: 2001

### ITEM CODE & DESCRIPTION

TDE110	TAPER, TD2100 ELECTRIC 110V – U.S. Measurements (inch)
TDE220	TAPER, TD2100 ELECTRIC 220V – Metric Measurements
TDE110-PS	TAPER, TD2100 ELECTRIC 110V PREMIUM SHORT
TDE220-PS	TAPER, TD2100 ELECTRIC 220V PREMIUM SHORT (metric)
TDE110-PL	TAPER, TD2100 ELECTRIC 110V PREMIUM LONG
TDE220-PL	TAPER, TD2100 ELECTRIC 220V PREMIUM LONG (metric)





## TD2100 HAND TAPER

### SPECIFICATIONS:

- Tape – paper or reinforced – up to 1000' roll
- Tape Widths – 1 inch (2.5cm) to 3 inch (7.6 cm)
- Tape Lengths – 5 inches (12.7cm) to 36 inches (91.4cm)
- Water Tank – 70 ounces (2.07 liters)
- Shipping Weight: 31 lbs (14.1 kgs)
- Dimensions: 18.9" L x 13.7" H x 10.5" W  
(48 cm L x 34.8 cm H x 26.6 cm W)
- Electrical (for heater models):  
110/120 volts, 50/60 hertz or 220/240 volts, 50,60 hertz

### FEATURES:

- Portable, yet sturdy, for easy use and maintenance!
- Easy-pull handle for variable tape lengths: 5"(12.7cm) to 36"(91.4cm) in a single pull.
- "APEX" design guillotine style cutter
- Largest water bottle in the industry – 70 oz (2.07L)
- Easy on the operator – drop-in tape loading and the easy-pull, snap-back handle for timely, no hassle operation.
- Optional heater models provide high-tack tape adhesion in unheated environments.

#### ITEM CODE

#### DESCRIPTION

TDH	Manual Taper with U.S. inch increments
TDHM	Manual Taper with metric increments
TDH110	Manual Taper, U.S. inch increment, with 110V Heater
TDH220	Manual Taper, metric increments, with 220V Heater



## TAPING PRESSURE SENSITIVE TAPE

### 112 - TAPEMATE -PRESSURE SENSITIVE TAPE DISPENSER

For short lengths of PVC, masking, reinforced, and other pressure-sensitive industrial tapes. Has manual, automatic, and random operating modes. Serrated blade. 112A Model also available with shear blade-hand pull lever. Takes 1/2" - 2" wide tape on 3" core, 115V, 60 hertz only.



### 902 CARTON SEALER

- Replaceable precision blades easily cut poly and reinforced tapes to 2" wide.
- Oversized adjustable brake for exact tension control.
- Spring action holds flap open for loading, then snaps shut for use.
- Handles tapes up to 5 1/2" dia. (220 yard rolls).



### 903 CARTON SEALER Identical to 902, but for 3" wide tapes.

### 914 HAND-HELD DISPENSER (1" WIDE)

### 915 HAND-HELD DISPENSER (2" WIDE)



- Comfortable hand fit improves taping control. Ideal for double-faced tape when backing is to be removed later.
- Accepts tape rolls up to 4 3/4" dia. (110 yards).

# TAPING PRESSURE SENSITIVE TAPE

## 922 BENCH DISPENSER

- Replaceable serrated blade cuts all non-reinforced tapes quickly and cleanly.
- Has two holes for permanently mounting on work bench.
- Weighs 3 lbs. Maximum roll dia. 5 1/2" (220 yards).

## 933 BENCH DISPENSER

- Same, but for 3" wide tapes, weighs 4 lbs.

## 944 BENCH DISPENSER

- Same, but for 4" wide tapes, weighs 5 lbs.



## 924 4-ROLL DISPENSER

- Designed to hold up to 4 assorted tapes up to 1" wide, with staggered cutter heights for convenient access.
- Weighs 9 lbs. 5 1/2" wide x 10" long.
- Accepts tape rolls to 6" dia. on standard 3" cores.



## 925 DOUBLE-FACE HAND HELD TAPE DISPENSER

- Automatically separates and rewinds the backing strip as the tape is applied.
- Independent, adjustable brakes on tape roll holder and scrap rewind ensure proper performance with any weight tape.
- Weighs 2 1/2 lbs. Max. roll 2" wide, 5 1/2" dia. on 3" core.



## 929 TRANSFER TAPE DISPENSER

Similar to 925, but has trigger control, no cutting blade. For adhesive transfer tape to 1" wide.

## 926 DOUBLE-FACE BENCH TAPE DISPENSER

- Dispenses double-sided tape, or other tapes with removable backing strips of PVC or treated paper.
- Tape roll holder and scrap rewind spool have independent adjustable brakes for proper performance with any weight tape.
- Weighs 8 lbs. 12" long x 3" wide
- Holds rolls to 2" wide, 7 1/4" dia. on standard 3" core.



## 928 DOUBLE-FACE TAPE DISPENSER

- Similar construction to 926.
- Equipped with adjustable length stop making it easy to measure and dispense repeated lengths of tape.
- Weighs 10 lbs. 3" wide x 24" long.



### ITEM CODE & DESCRIPTION

902 – Carton Sealer–2" Wide Tape  
903 – Carton Sealer–3" Wide Tape  
914 – Dispenser, Tape–Hand Held–1" Wide Tape  
915 – Dispenser, Tape–Hand Held–2" Wide Tape  
922 – Dispenser, Tape–Bench–2" Wide Tape  
933 – Dispenser, Tape–Bench–3" Wide Tape

944 – Dispenser, Tape–Bench–4" Wide Tape  
924 – Dispenser, Tape–4 Roll  
925 – Dispenser, Tape–Double-Face–Hand-Held  
929 – Dispenser, Tape–Transfer-Tape–Hand-Held  
926 – Dispenser, Tape–Double-Face–Mountable  
928 – Dispenser, Tape–Double-Face–Mountable w/adj. length stop

# CODING POROUS

## CONVEYOR LINE PRINTERS

No power required mount on conveyor line

### FEATURES:

- Indexing (spot printing) and non-indexing (continuous printing) models with print areas up to 4" x 16.94"
- Field convertible mounting configuration for printing on the top, sides, or bottom of the product.
- Uses ribtype die system

ITEM	DESCRIPTION
15000	CLP, Porous, Indexing, 1 1/8"
15001	CLP, Porous, Non-Indexing, 1 1/8"
15002	CLP, Porous, Indexing, 2"
15003	CLP, Porous, Non-Indexing, 2"
15004	CLP, Porous, Indexing, 3"
15005	CLP, Porous, Non-Indexing, 3"



*(Shown with optional 4oz. Disposable Cartridge)*

## MINI-CODERS

Mini-Coders are recommended for applications which require printing a small amount of code data on cartons or other flat surface materials. The unique inverted design enables the non-indexing Mini-Coders to print within 1/2" of the conveyor belt (with 1 1/8" of the conveyor belt with indexing models).

### FEATURES:

- Sealed ball bearings for smooth print drum rotation.
- Precision ground stainless steel mounting columns for corrosion resistance and ease of adjustment
- Re-inkable Microcell rollers that last up to one year with daily use.
- Mount on the left or right side of conveyor line without conversion.
- Reservoir inking system applies ink to roll on demand, not a gravity feed system.
- When the ink capacity of the roll is depleted, the roll can be re-inked automatically during production by installing one of the optional disposable 4oz. reservoir ink cartridges.
- XF Neoprene ink rolls are optional.



ITEM	DESCRIPTION
15007	Mini-Coder, Porous, Non-Indexing, 1 1/8"
15006	Mini-Coder, Porous, Indexing, 1 1/8"
15009	Mini-Coder, Porous, Non-Indexing, 2"
15008	Mini-Coder, Porous, Indexing, 2"

## HAND PRINTERS

Hand Printers are designed to provide an efficient, manual method of printing date codes, product IDs, lot numbers or other shipping and handling data. This lightweight hand coder is ideal for use in the shipping room or the warehouse where automatic coding is not possible.

### FEATURES:

- Sealed ball bearings for smooth print drum rotation (non-indexing printers).
- Impact resistant plastic handle.
- Re-inkable Microcell roller.
- Eccentric adjustment for ink roll to die face contact.
- Available in both indexing and non-indexing models.

ITEM	DESCRIPTION
15010	Hand Printer, Porous, Non-Indexing, Small Print Area: 2" x 6.5"
15011	Hand Printer, Porous, Non-Indexing, Large Print Area: 2" x 9"
15012	Hand Printer, Porous, Indexing, Large Print Area: 2" x 9"



*(The porous Hand Printers are not recommended for regular use with alcohol based inks.)*



# CODING NON-POROUS

## CONVEYOR LINE PRINTERS

Models are available with 1" and 2" print widths in both indexing and non-indexing styles. Top mount configurations are used for printing on horizontal surfaces such as continuous web materials and side mount configurations are used primarily for printing on the sides of cartons or other vertical surfaces. Ink dries as fast as 2 seconds at 75 degree Fahrenheit ambient temperatures. When the ink capacity of the roll is depleted, the roll can be re-inked automatically during production by installing one of the disposable 4 oz. reservoir ink cartridges.

ITEM	DESCRIPTION
16100	CLP, NP, Non-Indexing, 1" Left Top Mount
16101	CLP, NP, Non-Indexing, 1" Right Top Mount
16102	CLP, NP, Non-Indexing, 1" Left Side Mount
16103	CLP, NP, Non-Indexing, 1" Right Side Mount
16104	CLP, NP, Indexing, 1" Left Top Mount
16105	CLP, NP, Indexing, 1" Right Top Mount
16106	CLP, NP, Indexing, 1" Left Side Mount
16107	CLP, NP, Indexing, 1" Right Side Mount

Other sizes and mounting configurations available. Please call for details.




*(Shown with optional 4oz. Disposable Cartridge)*

## MINI-CODERS

Marsh Shipping Supply offers a breakthrough in non-porous coding technology. Unmatched in quality and performance, the patented non-porous inking systems design completely eliminated the problems associated with the use of fast drying inks on non-porous materials like plastics, metal, rubber, glass, varnished and waxed cartons. Dry times as fast as 2 sec. These non-porous mini-coders are available in both top mounted styles for web printing and side mounted styles for cartons and other conveyed products.



### NON-POROUS ORIENTATION



Choose a Right-Hand or Left-Hand Coder

ITEM	DESCRIPTION
16108	Mini-Coder, NP, Non-Indexing, 1" Left Top Mount
16109	Mini-Coder, NP, Non-Indexing, 1" Right Top Mount
16110	Mini-Coder, NP, Non-Indexing, 1" Left Side Mount
16111	Mini-Coder, NP, Non-Indexing, 1" Right Side Mount
16112	Mini-Coder, NP, Indexing, 1" Left Top Mount
16113	Mini-Coder, NP, Indexing, 1" Right Top Mount
16114	Mini-Coder, NP, Indexing, 1" Left Side Mount
16115	Mini-Coder, NP, Indexing, 1" Right Side Mount

## HAND PRINTERS

This unit utilizes the unique technology of the patented non-porous inking system. This system effectively prevents the evaporation of solvents from the enclosed ink roll and allows the usage of inks that dry as fast as 2 seconds at 75 degrees Fahrenheit ambient temperatures.

The non-porous hand printers are supplied with a re-inkable XF Neoprene Ink Roll. Comfortable foam grip handle. Disposable Type MT Black Ink Rolls are available. Rubber ribtype and or logo dies are sold separately.



ITEM	DESCRIPTION
30021	Hand Printer, Non-Porous, Indexing Maximum Print Width: 1.0" (25mm) Print Drum Circumference: 9.1" (227mm)
30022	Hand Printer, Non-Porous, Non-Indexing Maximum Print Width: 1.0" (25mm) Print Drum Circumference: 9.1" (227mm)

## CODER ACCESSORIES & OPTIONS

Non-Repeat Wheel - Permits accurate one-time spot printing of codes (with porous mini or conveyor line coders only) - indexing

Reservoir Inking System – Accommodates ink bottle with roller ball – gravity feed flow. 4 oz. bottle. Continuously re-inks ink roll – no waste, no mess. Allows maximum printing “up-time” with quick and easy bottle change. **Note: Reservoir cover required for conveyor line coders.**

Pre-Inked Rollers – Available for all Coders

ITEM	DESCRIPTION
19777	Non-Repeat Wheel – Mini Coder
21892	Non-Repeat Wheel – CLP
15076	Reservoir Inking System – 1 1/8" Roller
15077	Reservoir Inking System – 2" Roller
15078	Reservoir Inking System – 3" Roller
15021	Pre-Inked Roller-Blk – 1 1/8" CLP
15022	Pre-Inked Roller-Blk – 2" CLP
15023	Pre-Inked Roller-Blk – 3" CLP
15027	Pre-Inked Roller-Vio – 1 1/8" CLP
15024	Pre-Inked Roller-Blk – 1 1/8" Mini Coder
15025	Pre-Inked Roller-Blk – 2" Mini Coder
15026	Pre-Inked Roller-Blk – Hand Coder
15032	Pre-Inked Roller-Vio- Hand Coder
CODER MISC	Generic RibType – TBD

## CODER INKS

### FEATURES

- Provides consistent, high quality marks on either porous or non-porous surfaces.

ITEM CODE	DESCRIPTION
<b>Note: CF Bulk Porous Coder Inks can also be used on tape coders</b>	
CF-BK-Q	CF Coder Ink, Black, Quart
CF-BL-Q	CF Coder Ink, Blue, Quart
CF-G-Q	CF Coder Ink, Green, Quart
CF-R-Q	CF Coder Ink, Red, Quart
<b>RCP Bulk Porous Coder Ink (waterproof)</b>	
33290	RCP, Black, Quart
RC-SOL-Q	RCP, Solvent, Quart
<b>RCNP Bulk Non-Porous Coder Ink</b>	
33292	RCNP, Black, Quart
<b>Ink for Reservoir Inking System</b>	
33289	Porous, Black, 4 oz.
15173	Empty 4 oz bottle
33291	Non-Porous, Black, 4 oz.
<b>Type MT Pre-Inked Roll</b>	
33114	Black 1"
33115	Black 2"
33166	Black, Hand Printer
<b>Hand Cleaner</b>	
MTO	Marsh Take Off – 4 1/2 oz tube



Style & Size	Type Sample showing approximate characters per inch	Type Face Height	No. of Ribs	Type Sets
A10	RIBTYPE 123	1/8" 3.18 mm	2	5A, 5F
A11	RIBTYPE 123	9/64" 3.57mm	2	5A, 5F
A12	RIBTY 12	3/16" 4.76mm	2	5A, 4F
A13	RIBT1	1/4" 6.35mm	3	5A, 4F
U73	RIBTY12	1/4" 6.35mm	2	5A, 4F
U75	RIB12	3/8" 9.53mm	3	5A, 4F
U76	RB1	1/2" 12.7mm	4	5A, 4F
G77	RB1	5/8" 15.9mm	5	5A, 4F
G78	R13	3/4" 19.0mm	6	5A, 4F
G79	R3	15/16" 28.8mm	7	3A, 4F



## CONTACT MARKING

Do you need a quick and economical way to hand mark your shipment: The Marsh Pogo Printers, stencils, and ink can mark up to 100 cartons for very minimal cost-much less expensive than using labels that only mark one box each! Use the inked Pogo Printers and attached stencil for shipment addressing, product identification, even caution symbols! There are also stock and custom die cut stencils that allow you to either choose an already designed stencil for your application, or have Marsh artists customize a special stencil just for you! Deciding to use a Marsh Contact Marking System allows you to hand mark repeatable information for only pennies a shipment.

### FEATURES:

- Portable stencil and printer combination can be used anywhere.
- Available with the standard Pogo printer for flat surfaces, or with the Rocker Printer for curved surfaces.
- Ink is distributed evenly through the multi-layered Pogo print pad –no excess waste or mess.
- Unique stencils made from “tea bag” material and treated with paraffin and special oils for clear, easy marking.
- A single stencil can mark up to 100 or more cartons.
- Both porous and non-porous contact marking systems and ink available. Porous printers come with a 4 oz. bottle of ink. **For non-porous printers order the printer and ink separately.**
- Custom constructions available for your specific needs.

### CONTACT MARKING STENCIL TISSUE TYPES -

- |               |  |
|---------------|--|
| <b>B...</b>   | Heavy duty and long lasting! This popular stencil is glued to a hard backing sheet that is perforated for easy removal after imaging. Especially good for documents prepared on a typewriter or by hand in the shipping room.  |
| <b>Y...</b>   | A yellow tissue stencil with a carbon interleaf and taped backing sheet. This stencil is useful whenever a top-taped stencil is required.  |
| <b>E...</b>   | The powder blue carbon-coated, taped-back stencil requires less pressure to image than a B stencil, making it perfect for tabbing with continuous computer forms. The E Stencil can be removed and reattached to shipping orders and other business forms. Also durable enough for typewriter or hand imaging. |
| <b>CFY...</b> | A yellow tissue with carbon interleaf. The CFY stencil saves time and money by automating your shipment addressing. CFY stencils are available either glued or taped, and can be pulled from the backing sheet without disturbing the remaining stencils.  |



## CONTACT MARKING PRINTERS



Press Address Kit - These kits include everything you need to get started. Pogo Printer, 500 Blue Stencils, and 4 oz. bottle of black, porous ink

ITEM	DESCRIPTION
PP-2032	Printer, Pogo Porous 2032
PP-2232	Printer, Pogo Porous 2232
NPP-2232	Printer, Pogo Non-Porous 2232 (order ink separately)
PP-2238	Printer, Pogo Porous 2238
PP-2732	Printer, Pogo Porous 2732
NPP-2732	Printer, Pogo Non-Porous 2732 (order ink separately)
PP-2738	Printer, Pogo Porous 2738
NPP-2738	Printer, Pogo Non-Porous 2738 (order ink separately)
PP-2748	Printer, Pogo Porous 2748
RP-2232	Printer, Rocker Porous 2232
NRP-2232	Printer, Rocker Non-Porous 2232 (order ink separately)
RP-2238	Printer, Rocker Porous 2238
RP-2732	Printer, Rocker Porous 2732
RP-2738	Printer, Rocker Porous 2738
NRP-2738	Printer, Rocker Non Porous 2738 (order ink separately)
RP-3238	Printer, Rocker Porous 3238
RP-3640	Printer, Rocker Porous 3640
RP-3648	Printer, Rocker Porous 3648
RC-3648	Printer, Rocker Porous 3648 with clamps
NRC-3648	Printer, Rocker Non-Porous 3648 with clamps (order ink separately)
21425	Porous 2032 w/500 blue stencils, 4 oz bottle CM1 Black
21426	Porous 2732 w/500 blue stencils, 4 oz bottle CM1 Black



Continuous-form stencil on a pin-fed liner.

Stencils are available in all types and in all sizes shown

Rocker Printer	Flat POGO Printer	Printer & Stencil NBR	Print Area	Overall Size
	✓	2032	1 ½ x 3 ¼	2 ½ x 4
	✓	2038	1 ½ x 4	2 ½ x 4 ¾
✓	✓	2232	1 ¾ x 3 ¼	2 ¾ x 4
✓	✓	2238	1 ¾ x 4	2 ¾ x 4 ¾
✓	✓	2732	2 7/16 x 3 ¼	3 ¾ x 4
✓	✓	2738	2 7/16 x 4	3 ¾ x 4 ¾
	✓	2748	2 7/16 x 5 ½	3 ¾ x 6
✓		3238	2 ¾ x 4	4 x 4 ¾
✓		3640	3 x 4 ½	4 ½ x 5
✓		3648	3 x 5 ½	4 ½ X 6

# MARKING

## CONTACT MARKING INK

Special inks have been designed for use with the Contact Marking Systems. CM1 is a porous ink for marking on surfaces such as cardboard, paper, or wood. CM75 will mark on all non-porous surfaces.

Using these special contact marking inks ensures that you will be getting the highest quality mark possible.



### ITEM CODE

CM1-BK-4  
CM1-BL-4  
CM1-R-4  
CM1-W-4  
CM1-W-G  
CM75-BK-Q  
CM75-W-Q  
CM75-SOLVENT-Q

### DESCRIPTION

Ink, CM1 Porous, Black, 4 oz bottle  
Ink, CM1 Porous, Blue, 4 oz bottle  
Ink, CM1 Porous, Red, 4 oz bottle  
Ink, CM1 Porous, White, 4 oz bottle  
Ink, CM1 Porous, White, Gallon  
Ink, CM75 Non-Porous, Black, Quart  
Ink, CM75 Non-Porous, White, Quart  
Ink, CM75 Non-Porous Solvent, Quart

## INK SELECTION CHART

Use this Ink Selection Chart to determine which ink will be the best for your application surface. Find your surface in the left column, then move to the right to see which Marsh inks will give you the best mark on that surface.

Next, turn to the Ink Information chart on page 26 for information regarding available ink colors, solvents for cleanup and other ink details.

SURFACES	INK													
	EPI	K-Type Stencil	Rolmark Roller Stencil Ink	Poly-Rolmark Roller Stencil Ink	Spray Stencil Ink	Spray Mark Over	W-15 Tan Mark Over	T Grade Pigment Type Marking Pen	T Grade Dye Type Marking Pen	CM-1 Porous Contact Marking	CM-75 NP Contact Marking	RCP Roller Coder Ink	RCNP Roller Coder Ink	CF Coder Ink
METAL	✓		✓	✓	✓	✓		✓	✓		✓		✓	
CONCRETE	✓		✓	✓	✓	✓		✓	✓					
CORRUGATED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PVC	✓		✓	✓	✓	✓		✓	✓		✓		✓	
WOOD	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PAPER	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RUBBER	✓		✓	✓	✓	✓		✓	✓		✓		✓	
BRICK	✓		✓	✓	✓	✓		✓	✓		✓		✓	
PORCELAIN	✓		✓	✓	✓	✓		✓	✓		✓		✓	
FABRIC	✓	✓	✓	✓	✓			✓	✓		✓	✓	✓	✓
GLASS	✓		✓	✓	✓	✓		✓	✓		✓		✓	
CERAMIC TILE	✓		✓	✓	✓	✓		✓	✓		✓		✓	
PLASTIC	✓		✓	✓	✓	✓		✓	✓		✓		✓	
SHRINKWRAP	✓		✓	✓	✓	✓		✓	✓		✓		✓	
STRETCHWRAP	✓		✓	✓	✓	✓		✓	✓		✓		✓	

## MARSH MARKERS

### M88 MARKER - DYE

- Most economical valve activated marker
- Comes with long lasting fiber tip
- Dye type markers make bold, fast drying, waterproof marks on wood, cardboard, and other porous or non-porous surfaces
- Colors: Black, Blue, Red, Green

### M88FX MARKER - PIGMENT

- FX Pigmented valve activated markers are recommended for heavy duty outdoor use, marking permanent, weatherproof, fast drying opaque markers –
  - Free of xylene
  - HAPS Free (Hazardous air pollutants)
  - Alcohol based
  - Prop 65 compliant
- Colors: Black, Blue, Green, Orange, Pink, Red, Violet, White, Yellow

### 99 MARKER

- Great alternative to throw-away markers
- Industrial valve activated marker
- Valve activated tip prevents ink dry out; eliminates wasted ink
- Saves time! Easy refill barrel holds large quantity of T-Pigment grade inks. K inks may be used.
- Chisel and round tips available

### X10 MARKER

- Large capillary action disposable marker is available in black and red
- Marks on any surface
- Wide tip produces bolder, broader marks
- Marks are fast drying and water resistant

## AVAILABLE OPTIONS & ACCESSORIES:

- Replaceable tips for 88 and 99 markers



ITEM	DESCRIPTION
M88-BKD	88 Dye Type Marker, Black (xylene)
M88-BL	88 Dye Type Marker, Blue (xylene)
M88-G	88 Dye Type Marker, Green (xylene)
M88-R	88 Dye Type Marker, Red (xylene)
26054	88 Dye Type Marker, Black (alcohol)
M88FX-BKP	88 Pigmented Type Marker, Black (alcohol)
M88FX-BLP	88 Pigmented Type Marker, Blue (alcohol)
M88FX-GP	88 Pigmented Type Marker, Green (alcohol)
M88FX-OP	88 Pigmented Type Marker, Orange (alcohol)
M88FX-PP	88 Pigmented Type Marker, Pink (alcohol)
M88FX-RP	88 Pigmented Type Marker, Red (alcohol)
M88FX-VP	88 Pigmented Type Marker, Violet (alcohol)
M88FX-WP	88 Pigmented Type Marker, White (alcohol)
M88FX-YP	88 Pigmented Type Marker, Yellow (alcohol)
M99	99 Marker, Refillable- Valve Activated
X10-BK	X10 Marker, Black
X10-R	X10 Marker, Red
33577	Tips, Doz Pack (for M88-BKD)
33592	Tips, Doz Pack Reversible Acrylic for FX Pigment Markers
F5-D	Tips, Doz Pack Round for 99 Markers
F8-D	Tips, Doz Pack Chisel for 99 Markers
T-BL-Q	Ink, T Grade, Blue Dye, Quart
T-G-Q	Ink, T Grade, Green Dye, Quart
T-R-Q	Ink, T Grade, Red Dye, Quart
T-BKP-Q	Ink, T Grade, Black Pigment, Quart
T-WP-Q	Ink, T Grade, White Pigment, Quart
T-SOL-Q	Solvent, T Grade, Quart



# MARKING

## INK INFORMATION CHART

	AVAILABLE IN THESE COLORS	FOR CLEAN UP USE	COLORANT	
STENCIL MACHINES	<b>Efi</b> Black, Red, White, Yellow	<b>Soap &amp; Water</b>	<b>Pigment</b>	
	<b>K-Type Stencil and Fountain Brush Ink</b> Black, Red	<b>K Solvent</b>	<b>Pigment</b>	
	<b>Rolmark Roller Stencil Ink</b> Black, Red, White, Blue, Yellow, Green, Brown, Orange, Bright Blue	<b>RMS Solvent</b>	<b>Pigment</b>	
	<b>Poly - Rolmark Stencil Ink</b> Black, Red, White	<b>RMS Solvent</b>	<b>Pigment</b>	
	<b>Spray Stencil Ink</b> Black, Red, White, Blue, Yellow, Orange, Green	<b>T Solvent</b>	<b>Pigment</b>	
	<b>Spray Mark Over</b> Tan for craft cartons	<b>T Solvent</b>	<b>Pigment</b>	
	<b>W-15 Tan</b> Tan for craft cartons	<b>Water</b>	<b>Pigment</b>	
MARKING PRODUCTS	<b>T-Grade Dye Type Marking Pen Ink</b> Red, Blue, Green	<b>T Solvent</b>	<b>Dye</b>	
	<b>T-Grade Pigment Type Marking Pen Ink</b> Black	<b>T Solvent</b>	<b>Pigment</b>	
	<b>CM - 1 Porous Contact Marking Ink</b> Black, Red, White, Blue	<b>N/A</b>	<b>Pigment</b>	
	<b>CM - 75 NP Contact Marking Ink</b> Black, White	<b>CM75-Solvent</b>	<b>Pigment</b>	
CODERS	<b>RCP Roller Coder Ink</b> Black	<b>Roller Coder Solvent</b>	<b>Dye</b>	
	<b>RCNP Roller Coder Ink</b> Black	<b>Roller Coder Solvent</b>	<b>Dye</b>	
	<b>CF Coder Ink</b> Black, Red, Green, Blue	<b>Water</b>	<b>Dye</b>	

	USE WITH THIS EQUIPMENT												AVAILABLE IN THESE SIZES					
	EPI Applicator	FR100 Fountain Roller	RFR200 Fountain Roller	Rollmark Stencil Roller & Pad	Aerosol Spray Can	Paint Roller - Brush	Fountain Brush with Cover	88 Marker	99 Marker	Porous Roller Coder	Non-Porous Roller Coder	Pogo Printer	4 oz. bottle	Pints	Quarts	Gallons	50 Gallon Drums	Aerosol Cans
PRIMARY SOLVENT																		
Low Voc Water Soluble	✓			✓									✓		✓			
Hydrotreated Distillate Light		✓					✓		✓						✓	✓	✓	
Diacetone Alcohol			✓				✓								✓	✓	✓	
Diacetone Alcohol			✓				✓								✓			
Acetone					✓													✓
Acetone					✓													✓
Water Soluble						✓										✓		
Xylene								✓	✓						✓			
Xylene								✓	✓						✓			
Castor Oil												✓	✓	✓				
Butyl Alcohol												✓			✓			
Diethylene Glycol										✓			✓		✓			
Butyl Alcohol											✓		✓		✓			
Propylene										✓					✓			



Administrative Offices, Distribution Center, Ink and Oilboard Facility  
Collinsville, Illinois USA



Equipment Manufacturing Facility  
Owensville, Missouri USA



## **QUALITY, RELIABILITY, VALUE ...**

this is what you can expect when you buy Marsh products. Purchasing Marsh products from a Marsh Shipping Supply Company LLC distributor guarantees you are getting the "best in the business".

Each Marsh product is designed and engineered to give consistent, dependable performance. From the raw material selection to the final packaging, care is taken to ensure that you get the very best stenciling, carton closing, coding, and marking products available.

Marsh Shipping Supply Company, LLC is represented across the globe by a select group of independently owned and operated distributors. With over 50 distributors located in the U.S., and 72 international distributors, we are sure to have one near you.

Marsh products are manufactured to our high quality standards and sold at a competitively fair price. We back our products with an extensive warranty, along with distributor and factory support long after the product was purchased.

Throughout these pages you will find the solution to your packaging and coding needs. Please browse through the pages...and then make a good decision to contact your local Marsh distributor.

*It is our mission to continue our commitment to supplying our customers with the best and longest enduring marking, shipping, and sealing devices in the world.*

*We will further explore new and innovative equipment and inks to improve the shipping operations of our current and future customers, as well as provide more environmentally friendly alternatives.*



# MARSH®

Marsh Shipping Supply Co., LLC

**MARK IT—**

**CODE IT—**

**CLOSE IT—**

**SHIP IT—**

**FORGET ABOUT IT**

800.854.8905  
618.343.1006  
618.343.1016 fax

926 McDonough Lake Road  
Collinsville, Illinois 62234  
USA  
[www.msscllc.com](http://www.msscllc.com)